-34% CO₂ GREEN

GREENER TRODAT

Trodat managed to **reduce its corporate carbon footprint by -34% within 10 years,** 4 percentage points more than the initially set target of -30%. This corresponds to an **annual reduction of 4,498 t CO₂**. Our holistic approach to climate protection rests on three important pillars: Avoiding CO_2 , reducing CO_2 and offsetting unavoidable CO_2 emissions. And we continue to have an unequivocal ambition to achieve reductions through our own efforts as well as offsetting unavoidable CO_2 emissions through WWF®-recommended Gold Standard climate protection projects.

This makes our bestsellers CLIMATE-COMPENSATED.


Trodat GmbH Linzer Straße 156 4600 Wels, Austria E-Mail: trodat@trodat.ne



EN ISO 9001 201005083 EN ISO 14001 201048196 OHSAS 18001 20116112006928 EN ISO 50001 Produced in accordiance to the Guideline "Low pollutant print products" of the Austrian ecolabel.
Gutenberg-Werbering GmbH, UW-Nr. 844







CATALOGUE Stamps and more

EDITION 2024/25





FUNCTIONAL WAY TO MARK ALL YOUR BELONGINGS!

Every parent knows the problem, they send their children off to school and when they come back, half the things they took are mysteriously gone.

STAMP 'N STICK, in no time, helps parents put their children's names in all their belongings for a better chance of getting them back.

> Stamp on stickers and stick them on your belongings.

To mark dark textiles stamp on the fleece and iron it.





D-I-Y Textile Stamp \950/



- The personalised text can be set & changed any time
- Impression size 38x14 mm for up to 3 lines of text
- 4mm font size letter & number set + 8 fun icons











Dermatologically tested black textile ink

Stickers



- 2 sizes: narrow (40 x 10 mm) large (40 x 15 mm)
- The stickers come with a positioning guide for an accurate stamping

Iron Fleece



- Soft on skin
- For a better legibility when marking dark textiles

Product: Starter Kit

Content:

1 Stamp, 1 Letter + Number + Icon set,

1 Tweezers, 1 Black Textile Ink Cartridge,

30 Stickers, 1 meter Iron Fleece

Min. Order Quantity:

5 pcs in Shelf Ready Package





Product: Refill Kit

Content:

1 Black Textile Ink Cartridge, 40 Stickers, 1 meter Iron Fleece





*Dishwasher safe up to 75°C / 167°F when applied to plastic surfaces. Not machine washable when used on clothes.

THE TRODAT STAMPING SYSTEM

THE BEST IMPRESSION IS THE SUM OF ITS PARTS



INK CARTRIDGE WITH TRODAT STAMP INK

- > Indelible standard inks
- > Sharp-contoured impressions
- > Full-surface coverage





TRODAT LASER RUBBER

- > Excellent impression characteristics
- > Excellent ink transfer
- > Excellent laser rubber quality AERO+



TRODAT STAMPS


- > The right stamp for every application
- > Award-winning design
- Absolutely dependable handling





IMPRESSION ASSESSMENT CRITERIA





- > Fine-pore structure ensures optimum ink application.
- > Trodat standard stamp inks with optimised hygroscopic properties and even more intense brilliance.
- > Trodat laser rubber with optimised formula for excellent engraving and impression quality.
- > The Trodat stamp. In total: The best Trodat impression.



PROTECTOR™



INK ROLLERS FOR IDENTITY THEFT PROTECTION

PRODUCT NEWS AT TRODAT

Every day, thousands of identity thefts occur all over the world. Letters, bank statements, invoices, packages and more are carelessly thrown away, much of it containing data that could be used to steal a person's identity or personal information. That's why Trodat created the ID Protector and ID Protector+.





ID PROTECTOR+™

But that's not all! Trodat ID Protector+ comes as an additional product variant with integrated box and letter opener made from durable ceramic blades. Opening mail and protecting your identity has never been easier with this convenient 3-in-1 solution.





With Trodat's ID Protector you can easily protect your personal data with just one roll. This handy ink roller helps you conceal personal and confidential information permanently with its unique impression pattern and special ink.



THE BLUE ANGEL AWARD THE GERMAN ECOLABEL

friendly products and services. The strict criteria for the award is set by the German Federal Environment associations, trade, crafts, scientists and the federal states.

The purpose of the eco-label is to provide customers with reliable quidance for environmentally conscious purchasing. This is because targeted demand for environmentally friendly products promotes ecological product innovations and reduces environmental pollution.

The Blue Angel stands for independent, transparent and ambitious labeling.

The Blue Angel is a so-called TYPE I ecolabel, which is based on the international standard DIN EN ISO 14024 "Environmental labels and declarations - Type I environmental labeling -Principles and procedures (ISO 14024:2018)".

It differs from product labels that only look at one criterion or are awarded by the manufacturers themselves by providing a comprehensive and independent award for the better products in a product group.

Trodat has already proven in the past that the topic of sustainability is very important to the company. And as anchored in the Trodat vision - Trodat, sustainable stamp solutions: everywhere - numerous activities are also planned for the future in the area of sustainability.



Printy 4.0

Climate-neutral







2020

2011 2013

> **Trodat Bestseller** Climate-neutral

Austrian Ecolabel

2018

-34 CO₂

2023 Blue Ange





THE ORIGINAL TRODAT PRINTY 4.0

THE 1ST STAMP TO RECEIVE THE BLUE ANGEL AWARD!

We are very pleased that after long and intensive preparations, we were able to meet all the necessary criteria to obtain the "Blue Angel" eco-label for the original Trodat Printy 4.0 models 4910, 4911, 4912, 4913, 4914, 4915 (eco-black and eco-grey with black pad), which is well-known and important in Europe.

The most important criteria for our award:

(DE-UZ-200 for writing instruments and stamps)

Stamp components such as frame, housing, pad holder made from at least 80% post-consumer recycled material

Replacement ink cartridge available

Ink tested according to DIN EN ISO 71-3 for compliance with the limit values

Index card made from 100% recycled paper





Single box made from at least 80% recycled paper

www.blauer-engel.de/uz200

- low level of harmful material

-34% CO₂ GREEN

GREENER TRODAT

Trodat managed to **reduce its corporate carbon footprint by -34% within 10 years,** 4 percentage points more than the initially set target of -30%. This corresponds to an **annual reduction of 4,498 t CO_2.** Our holistic approach to climate protection rests on three important pillars: Avoiding CO_2 , reducing CO_2 and offsetting unavoidable CO_2 emissions. And we continue to have an unequivocal ambition to achieve reductions through our own efforts as well as offsetting unavoidable CO_2 emissions through WWF®-recommended Gold Standard climate protection projects.

This makes our bestsellers **CLIMATE-COMPENSATED**.




ALL PRODUCTS WITH THIS LOGO ARE CLIMATE-COMPENSATED

THE AUSTRIAN ECOLABEL

90

AWARDED TRODAT PRODUCTS



The Austrian Ecolabel is an internationally recognised environmental seal of quality and is awarded to particularly environmentally-friendly products. Certification takes place after rigorous testing of the entire life cycle of a product, from the extraction of the raw materials to disposal of the final product, and confirms the highest ecological, health and quality standards.

This applies to product lines including: Trodat Professional, Original Trodat Printy, ink cartridges, handstamp pads and stamp inks..



ALL PRODUCTS WITH THIS LOGO HAVE BEEN AWARDED THE AUSTRIAN ECOLABEL

(The Austrian Ecolabel applies for products with black, green and red impression in environmentally friendly packaging.)



THE TRODAT PROFESSIONAL™ 4.0

STRONGER. CLEANER. FASTER.

These were the main criteria in the thoughtful development of the Trodat Professional 4.0. Thanks to your cooperation and lots of market research with stamp users worldwide, we are sure to have also met these requirements. High quality and functionality are perfectly combined in the Trodat Professional 4.0: The brushed stainless steel reflects the high-quality processing of the stamp. The robust and sturdy casing provides a worthy frame for numerous new application benefits.







PROFESSIONAL™ 4.0 FEATURES

Save time and resources. The Trodat Professional 4.0 demonstrates its functionality by simplifying the work process of stamp dealers.



Ergonomic handle cushioning elements on handle and on feet reduce stamp vibrations.



High-quality stainless steel. Made of brushed stainless steel for maximum stability & durability.



Fast & clean date setting. Special grip zones and wider date wheels with new date band drive mechanism



Optimised text plate guide ensures round, consistent stamp movement and perfect imprint quality.



New finger guard guarantees clean fingers when changing the ink cartridge & setting the date



Easier text plate mounting. pre-assembled adhesive foam plate with positioning



Faster date height setting. Central set screw allows adjustment of the date band height with just one spin.



Inidividual company personalisation. Laser-engravable handle with interchangeable



All products with this logo have been awarded the Austrian ecolabel

(The Austrian Ecolabel applies for products with black, green and red impression in environmentally friendly packaging.)

TRODAT **PROFESSIONAL™** TEXT STAMPS



The Trodat Professional is the perfect stamp for daily office use and ensures clean and precise imprints. For decades it has stood for reliability and professionalism. Precise workmanship and high-quality materials make it an enduring champion in the Trodat product range.

Trodat offers the most important sizes of the Professional in the latest generation Professional 4.0. These not only convince with their unique, brushed stainless steel design, but also with their superior ergonomics and functionality.

The Trodat Professional is available as a text stamp in numerous imprint sizes and thus offers just the right product for every application.



5200 + 5203



Chemquest International Ltd. Merseyside L23 3BJ Liverpool Phone: 0151 9256 7855

office@chemquest.com

41mm x 24mm | Max. text plate size



5203 - 49mm x 28mm | Max. text plate size



Packaging







Tipografia RANZONI Piazza Cadorna, 16-20123 Milano

Telefono (02) 869 84 040 Telefax (02) 869 84 041 tipografia-ranzoni@info.it www.tipografia.it

56mm x 26mm | Max. text plate size



Packaging









WAGNER + MÜLLER Agentur für Marktforschung Ekherstraße. 147, 36316 Friedberg Telefon 08 47 11 22 33

agentur@wm.net | www.wm.net

68mm x 24mm | Max. text plate size



Packaging









56mm x 33mm | Max. text plate size





Packaging







VERTEILER ZEITSCHRIFTEN

Name der Zeitschrift:

| Geschäftsleitung | CS Deutschland |
|------------------|------------------|
| Vertriebsleitung | CS International |
| Marketing | Personalbüro |
| Controlling | Produktion |
| Leitung QS | Versand |

Zeitschriften bitte nach 3 Tagen weiterleiten 60mm x 40mm | Max. text plate size





Packaging



5208



B BROWN Metal Works LTD.

Steel Constructed Buildings

Gowthorpe Lane, North Yorkshire POCKLINGTON YORK, YO42 1NP T.: (01347) 123600

office@brownmw.co.uk

www.brownmw.co.uk

68mm x 47mm | Max. text plate size

Ink cartridge 6/58



Packaging



TEXT STAMPS





Packaging






GENEHMIGUNGSRUNDLAUF

| Verantwortlich | Datum | Unterschrift | | | | |
|------------------|-------|--------------|--|--|--|--|
| Leitung Grafik | | | | | | |
| PM | | | | | | |
| Servicest. Recht | | | | | | |
| Leitung MKT | | | | | | |
| Leitung SGE | | | | | | |
| | | | | | | |


116mm x 70mm | Max. text plate size



Ink cartridge









40mm x 30mm | Max. text plate size

Packaging

Ink cartridge 6/15

Markings on pre-applied self-adhesive for text plate sizes: Ø 45mm, Ø 42mm, Ø 40mm, 45mm x 30mm, 40mm x 30mm



TRODAT **PROFESSIONAL™** DATERS



In the category of Professional daters, Trodat offers a large number of different products and thus covers a wide range of applications: Beginning with stamps with dates only or combined with individual stamp text, stock text or phrase band right up to numberers, there is exactly the right product for every application.

> All products with this logo have been awarded the Austrian ecolabel

(The Austrian Ecolabel applies for products with black, green and red impression in environmentall friendly packaging.)





















DATE STAMPS




TRADI SERVICE Entreprise de menuiserie REÇU LE :




3, avenue du Général Leclerc 91700 SAINTE GENEVIÈVE DES BOIS Tél. 01 45 78 95 86

56mm x 33mm | Max. text plate size 4mm | Date size
















4mm | Date size

4mm | Date size











Ink cartridge

DATE STAMPS







Ø 45mm | Max. text plate size 4mm | Date size



4mm | Date size

Markings on pre-applied self-adhesive for text plate sizes: Ø 45mm, Ø 42mm, Ø 40mm, 45mm x 30mm, 40mm x 30mm

Ink cartridge 6/15



6/15/2



Packaging







LOJA DO PRODUCTO

17-10-32 - 20-10-32

Transporte MARQUES Estrada Nacional 8, Azueira, Mafra, 2665

56mm x 33mm | Max. text plate size 4mm | Date size Text plate thickness including adhesive film: 2,4mm Ink cartridge 6/56



Packaging























DATE STAMPS



5030




1 7 NOV. 2032 4mm | Date size



Packaging







RECEIVED

5430/L - 41mm x 24mm Max. text plate size 4mm | Date size With 7 text elements to change:

RECEIVED | Ans'd..... | PAID | FAXED Page.. of .. | Per.....



1 7 NOV. 2032

5440/L - 49mm x 28mm Max. text plate size 4mm | Date size With 5 text elements to change: PAID | RECEIVED | FAXED POSTED |

Ink cartridge 6/50/2 6/53/2



Packaging







5117

+ STOCK TEXT




4mm | Date size 4 models available: L1: RECEIVED | L2: PAID | L7: POSTED | L9: FAXED

Ink cartridge 6/56/2

Packaging



+ DIAL-A-PHRASE



ANSWERED | backordered | CANCELLED | BILLED | RECEIVED E-MAILED | CHECKED | DELIVERED | ENTERED | PAID | SHIPPED | FAXED Ink cartridge 6/56



Packaging



TRODAT **PROFESSIONAL™** NUMBERERS

5546



1 2 3 4 5 6 4mm | Character size Additional characters:




Packaging



55512

123456789012

5mm | Character size



change it again to suit your needs.

TRODAT **PROFESSIONAL™** TYPOMATIC

Combines the advantages of the Trodat Professional with the flexibility of a DIY stamp. The Professional Typomatic gives you

the ability to set any stamp text yourself whilst being able to

Set any stamp text yourself and

also change it again at any time.

Ink cartridge 6/58

Packaging



5558 + 5558/PL



12345678

5558 - 5mm | Character size



Donauuferweg 155, 94032 Passau office@mayerhofer.de www.reisen-mayerhofer.de

5558/PL - 56mm x 33mm | Max. text plate size 5mm | Character size Text plate thickness including adhesive film: 2,4mm

Additional characters

Ink cartridge 6/56

Ink cartridge

6/56

Packaging





ROBERT NORMAN LINZER STRASSE 156 ŵ A-4600 WELS AUSTRIA 0 7 2 4 2 - 2 3 9 - 0 **5** 0 7 2 4 2 - 239-920

49mm x 28mm | Max. text plate size For up to 6 lines of text 1 letter set 6003 (character size 3mm) 1 letter set 6004 (character size 4mm) Ink cartridge 6/53

Packaging



6003 + 6004 + 6005 + LETTER SETS



1234567890AACDEFGIJLMNOPRSSTVYÄÄÄÍÓÚØÅÆ‰@WWW. 234 1234567890ABCEFGHJKMNOPRSTTVYÄÄÄÍÚÑÆ | \$\frac{1}{x^-} \ \\$\frac{1}{5}\frac{1}{1}\frac{1}{V}\frac{W}\frac{1}{V}\frac{1}{2}\frac{3}{5}\frac{5}{6}\frac{7}{8}\frac{9}{0}\tilde{N}\tilde{\tilde{C}}\tilde{\tilde{C}}\tilde{\tilde{D}} \ 5\tilde{X}\frac{1}{X}\frac{1

6003 - Letter set with 336 characters 3 mm | Character size





55510 + 55510/PL



1234567891

55510 - 5mm | Character size

1234567891

Office Manchester - N° 15130-22 INTERNATIONAL INVESTMENT BANK

Text plate thickness including adhesive film: 2,4mm

55510/PL - 56 x 33 mm | Max. text plate size 5 mm | Character size

Packaging

ORIGINAL TRODAT PRINTY 4.0

The Original Printy 4.0 impresses not only with its attractive design - it is also climate-compensated. During the manufacture up to 49%* of CO₂ is saved in comparison to its predecessor. The remaining, unavoidable CO₂ footprint is offset by investing in Gold Standard climate protection projects recommended by the WWF®.

*ECO black and ECO grey. Lower percentage for other colours.





WE ASKED STAMP USERS

We asked users what, in their opinion, makes a good stamp. There were some interesting responses. Thus we incorporated these ideas when we developed the Original Trodat Printy 4.0.



 Clean replacement of ink cartridge thanks to special grip zone



 Exact placement of impressions thanks to the panoramic viewing window



3. Lightweight & small, perfect when you are on the move



4. The best Trodat impression.

WE ASKED RUBBER STAMP MAKERS

Numerous surveys with rubber stamp makers were carried out to identify what they expect from the ideal stamp. The valuable results have had a significant impact on the development of the Original Trodat Printy 4.0.



 Simple mounting of text plates thanks to the raised position of the text plate holder



Easy to customise!
 Countless options for your logos and individual prints on the stamp housing



3. The usage of Trodat materials in combination is guaranteed to have a high-quality impression.



4. Convenient detachable index window which is symmetrical with a large grip



TRODAT PRINTY TEXT STAMPS



Choose the Original Printy 4.0! Trodat as the mother of modern self-inking stamps is offering the most important Trodat Printy sizes in its latest generation Original Printy 4.0.

The Printy range offers numerous imprint sizes, optimal functionality, simple and clean ink cartridge change and outstanding imprint quality. Furthermore, the bestsellers from this range are climate-compensated.



The Blue Angel Ecolabel applies for 4910-4915 in eco-black and eco-grey with black impression in single box

All products with this logo have been awarded the Austrian ecolabel

The Austrian Ecolabel applies for products with black, green and red impression in environment friendly packaging.





4907



13mm x 6mm | Max. text plate size With protective cap

Product colour Ink cartridge 6/4907



Packaging



4908



Ch.P.

15mm x 7mm | Max. text plate size With protective cap Product colour Ink cartridge 6/4908

Packaging









Otto Schwarzer
D-50670 Köln
Tel. 0221 / 123123-0
26mm x 9mm | Max. text plate size
Optional with protective cap





4911





TEXT STAMPS

Haarlemmermeer 38mm x 14mm | Max. text plate size Optional with protective cap









Rosenhaag 12, 20457 Hamburg Tel. +49 (0) 40 - 12 34 56 - 12 47mm x 18mm | Max. text plate size Optional with protective cap








Pesca Roberto srl.

58mm x 22mm | Max. text plate size

Optional with protective cap

Viale Bisagno, 2 • 16121 Genova Tel. 010 6424711 • Fax: -55 pesca@roberto.it • www.pescaroberto.it





STUE ANGLE









Rua Cabedo e Lencastre – 3750 Águeda – Tel. 234 47 11 55 raoul@gomez.pt – www.fabricadecortica.pt

64mm x 26mm | Max. text plate size Optional with protective cap





1. Press down the stamp 2. Replace the ink cartridge


> Printy 4.0 pads also fit older Printy models



4915

Palon Joséphine Sur rendez-vous Rue de la Rose 93100 NEUILLY PLAISANCE Tél. 06 70 80 86 77

70mm x 25mm | Max. text plate size







Dr. Franz Kleininger

70mm x 10mm | Max. text plate size







4917

Pedro Alvarez Pedro Alvarez 50mm x 10mm | Max. text plate size











4925

**** CLUB DE GOLF Carrer del Bruc 123 • 08002 BARCELONA 75mm x 15mm | Max. text plate size











4926



HUMMELKOGEL SEILBAHNEN

Bergbahnstrasse 2 CH - 4711 Hummeldorf Tel. 04711 - 555 33 Fax. 04711 - 555 66 office@hummelkogel.ch www.hummelkogel.ch

75mm x 38mm | Max. text plate size



Product colour Ink cartridge 6/4926

Packaging



70mm x 30mm | Max. text plate size



4927



Philatelistenverein Frankfurt am Main

Sandweg 100 60316 Frankfurt Tel. 069 47 11 55 info@pvf.de

60mm x 40mm | Max. text plate size







4931



41mm x 24mm | Max. text plate size



4928




ACABALLADERO ANDALUCÍA

Miguel Cabral Camino Guindos 22 29004 Malaga Tlf. 952 25 l 155

www.miguelcabral.es

60mm x 33mm | Max. text plate size





12mm x 12mm | Max. text plate size Optional with protective cap



4929



BULLES DE SAVON Institut de Beauté 175, rue de l'Océan 85000 LES SABLES D'OLONNE

Tél. 02 78 96 87 23

E-mail: bullesdesavon@orange.fr

50mm x 30mm | Max. text plate size







Ink cartridge






















25mm x 25mm | Max. text plate size With protective cap




TEXT STAMPS








Ink cartridge






Product colour













55mm x 35mm | Max. text plate size



TRODAT PRINTY DATERS



Trodat offers various products in this category: stamps with the date only or the date in combination with individual text, stock text or phrase bands. However, numberer and dial-a-phrase stamps are also available for a wide range of applications.

Small and lightweight and therefore ideal for stamping applications on the move, at home or in the office.




(The Austrian Ecolabel applies for products with black, greer and red impression in environmentally friendly packaging.)











4730



Energia Pulita

ECO 1 7 NOV. 2032

Via degli Astri, 22 20147 Milano Tel. 02/34.86.921, Fax: - 934

56mm x 33mm | Max. text plate size 4mm | Date size

Ink cartridge Product colour 6/4927 6/4927/2 Packaging







3mm | Date size









modro communication design Karsaminstr. 45, 22083 Hamburg 41mm x 24mm | Max. text plate size 4mm | Date size







+ STOCK TEXT

RECEIVED 1 7 NOV. 2032

41mm x 24mm | Max. text plate size 4mm | Date size 4 models available: L1: RECEIVED | L2: PAID | L9: FAXED Product colour Ink cartridge 6/4750/2 Packaging



43132

PACKED 17 NOV 2032 **Edward East**

32mm x 32mm | Max. text plate size 3mm | Date size



Ink cartridge 6/4924

Product colour


























DATE STAMPS





LEN-APO; Š Ser. 15 - 20355 Har Rezept Nr.



Ink cartridge

6/46040










Ø 40mm | Max. text plate size 3mm | Date size With 4 text elements to change: PAID | FAXED | RECEIVED | ENTERED







4800 + 4820



17 NOV 2032 4800 - 3mm | Date size





Product colour







4810



17 NOV. 2032 3,8mm | Date size

Product colour







4813



+ TEXT

17 NOV. 2032


26mm x 9mm | Max. text plate size 3,8mm | Date size







DATE STAMPS





4817

*Does not apply for 4816PL

CO

12 NOV 2032 - 17 NOV 2032 4816 - 3,8mm | Date size

Please review between dates: 1 2 NOV 2032 - 17 NOV 2032

4816PL - 51mm x 5mm | Max. text plate size 3,8mm | Date size

+ DIAL-A-PHRASE

CHECKED 28 NOV 2032 17 NOV 2032

ANSWERED | RECEIVED | ENTERED | backordered | E-MAILED | PAID CANCELLED | CHECKED | SHIPPED | BILLED | DELIVERED | FAXED





Packaging





Product colour



Packaging



4850 + 4850/L + TEXT

3,8mm | Date size Other texts:

FINISHED 17 NOV. 2032

25mm x 5mm | Max. text plate size 3,8mm | Date size Text plate thickness: 2,3mm

RECEIVED

+ STOCK TEXT

17 NOV. 2032 25mm x 14mm | Max. text plate size

3,8mm | Date size 4 models available: L1: RECEIVED | L2: PAID L7: POSTED | L22: SCANNED





Packaging





*Does not apply

for 4850/L

4822

DIAL-A-PHRASE STAMP

ORIGINAL



4mm | Character size Other texts:


CANCELLED | ORIGINAL | FIRST CLASS | FAXED | E-MAILED | APPROVED COPY | CONFIRMATION | DRAFT | CONFIDENTIAL | ENTERED | URGENT!

Ink cartridge Product colour



Packaging









123456

4836 - 3,8mm | Character size

1 2 3 4 5 6 4846 - 4mm | Character size

1234567890123

48313 - 3,8mm | Character size

Product colour

Additional characters (4846):













TRODAT PRINTY **TYPOMATIC**




A change of address, telephone number, etc. are no problem. As a DIY stamp the Trodat Printy offers a high degree of flexibility.

The included typeset plates offer numerous letters as well as common abbreviations, icons and graphics.



ROBERT NORMAN EXPORT MANAGER ŵ VIENNA-AUSTRIA

38mm x 14mm | Max. text plate size For up to 3 lines of text 1 letter set 6003 (character size 3mm)




Ink cartridge 6/4911 Packaging






ROBERT NORMAN EXPORT MANAGER ŵ A-4600 WELS AUSTRIA **3** 0 7 2 4 2 / 2 3 9 - 0

47mm x 18mm | Max. text plate size For up to 4 lines of text 1 letter set 6003 (character size 3mm) 1 letter set 6004 (character size 4mm)



| | per line without spaces | | | | |
|------|-------------------------|--|--|--|--|
| 6003 | 22 | | | | |
| 6004 | 18 | | | | |
| 6005 | 13 | | | | |






NORMAN EXPORT MANAGER LINZER STRASSE 156 ŵ A-4600 WELS AUSTRIA **S** 0 7 2 4 2 / 2 3 9 - 0

58mm x 22mm | Max. text plate size For up to 5 lines of text

1 letter set 6003 (character size 3mm) 1 letter set 6004 (character size 4mm)







per line without spaces 6003 27 6004 22 6005 16







ROBERT NORMAN-EXPORT MANAGER ROBERT.NORMAN@TRODAT.NET

70mm x 10mm | Max. text plate size For up to 2 lines of text 1 letter set 6003 (character size 3mm)

| Maximum characters per line without spaces | 6003 | 34 |
|---|------|----|
| | 6004 | 28 |
| | 6005 | 20 |



Packaging





ROBERT NORMAN - EXPORT MANAGER TRODAT PRODUKTIONS GMBH LINZER STRASSE 156 207242/239-0 DW 916 ROBERT.NORMAN@TRODAT.NET

82mm x 25mm | Max. text plate size For up to 5 lines of text 1 letter set 6003 (character size 3mm) 1 letter set 6004 (character size 4mm)

| I .NEI | | |
|----------------|------|----|
| Maximum | 6003 | 41 |
| characters per | 6004 | 32 |
| spaces | 6005 | 23 |



Packaging





ROBERT NORMAN - EXPORT MANAGER TRODAT PRODUKTIONS GMBH LINZER STRASSE 156 A-4600 WELS/AUSTRIA 20043/7242/239-0 🖺 DW916 **8** 0 0 4 3 / 6 6 7 / 8 9 9 5 0 7 9

ROBERT. NORMAN@TRODAT.NET WWW. TRODAT. NET

| /omm x 38mm Max. text plate size |
|--|
| For up to 8 lines of text |
| 1 letter set 6003 (character size 3mm) |
| 1 letter set 6004 (character size 4mm) |

| Maximum characters per line without spaces | 6003 | 37 |
|---|------|----|
| | 6004 | 30 |
| | 6005 | 22 |



Packaging




4927 TYPO



TRODAT GMBH ROBERT NORMAN LINZER STRASSE 156 ŵ A-4600 WELS AUSTRIA **> +43 0 7242/239-0** ROBERT.NORMAN@TRODAT.NET WWW. TRODAT.NET

60mm x 40mm | Max. text plate size For up to 8 lines of text 1 letter set 6003 (character size 3mm) 1 letter set 6004 (character size 4mm)





ROBERT NORMAN EXPORT MANAGER LINZER STRASSE 156 ŵ A-4600 WELS AUSTRIA +43 0 7242/239-0 ROBERT.NORMAN@TRODAT.NET WWW. TRODAT.NET

60mm x 33mm | Max. text plate size For up to 7 lines of text 1 letter set 6003 (character size 3mm) 1 letter set 6004 (character size 4mm)

Product colour Ink cartridge 6/4928


Maximum characters per line without spaces

| 0003 | 2/ |
|------|----|
| 6004 | 24 |
| 6005 | 17 |



4642 TYPO

4645 TYPO



Ø 42mm | Max. text plate size 1 letter set 6003 (character size 3mm) With protective cap

7242/2390

EXT:

TYPOMATIC

Product colour Ink cartridge



Maximum characters per line without spaces

| 52 |
|----|
| 14 |
| 42 |
| 11 |
| - |
| 8 |
| |

Packaging



4929 TYPO



ROBERT NORMAN TRODAT GMBH LINZER STRASSE 156 A-4600 WELS/AUSTRIA 20043/7242/239-0**6** 0 0 4 3 / 6 6 7 / 8 9 9 5 0 7 9

50mm x 30mm | Max. text plate size For up to 6 lines of text 1 letter set 6003 (character size 3mm) 1 letter set 6004 (character size 4mm)



Product colour



Maximum characters per line without spaces

| 0003 | 20 |
|------|----|
| 6004 | 20 |
| 6005 | 14 |



Packaging



Packaging

Ink cartridge 6/4931









60mm x 40mm | Max. text plate size 4mm | Date size For up to 6 lines of text 1 letter set 6003 (character size 3mm) 1 letter set 6004 (character size 4mm)

Product colour Ink cartridge 6/4645



per line without spaces **6003 circle** 40 small/57 big 6003 center **6004 circle** 32 small/46 big 6004 center 6005 circle 6005 center

> Maximum characters per line without spaces

> > 29

24

6003

Maximum characters

Packaging

Ink cartridge 6/4929



4931 TYPO



ROBERT NORMAN - EXPORT MANAGER LINZER STRASSE 156 A-4600 WELS/AUSTRIA **20043/7242/239-0** ROBERT.NORMAN@TRODAT.NET

70mm x 30mm | Max. text plate size For up to 6 lines of text 1 letter set 6003 (character size 3mm) 1 letter set 6004 (character size 4mm)

6003 35 characters per 6004 28 6005 20 spaces



4727 TYPO + DATE



Ø 45mm | Max. text plate size - 1 letter set 6003 (character size 3mm)

6004 6005

Product colour

17















ROBERT NORMAN TRODAT GMBH 1 7 NOV. 2032 LINZER STRASSE 156

A-4600 WELS/AUSTRIA

50mm x 30mm | Max. text plate size 4mm | Date size For up to 4 lines of text 1 letter set 6003 (character size 3mm) 1 letter set 6004 (character size 4mm)

Product colour



Maximum characters per line without spaces 6003 25 **6004** 20 **6005** 14

Packaging





TYPOMATIC





+ DATE



41mm x 24mm | Max. text plate size 4mm | Date size For up to 2 lines of text 1 letter set 6004 (character size 4mm)

Product colour

Maximum characters


| er tille without spac | | | | | | |
|-----------------------|----|--|--|--|--|--|
| 6003 | 20 | | | | | |
| 6004 | 16 | | | | | |
| 6005 | 12 | | | | | |



Packaging

TRODAT TYPOMATIC LETTER SET

6003 + 6004 + 6005



1234567890AACDEFGIJLMNOPRSSTYYÄÄÄÍÓÚØÄÆ%@ WWW.
1234567890AACDEFGIJLMNOPRSSTYYÄÑÉÍÓÙØÄÆ%② NET
Letter set with 336 characters 1234567890ABCEEFGIKLMNOQRSTTVYÄÑÉÌÒÙØÅŒ§ 🗞 .COM 1234567890ABCEEFHIKLMNOQRSTUVYÖÁÈÌÕТ\$€£© TEL: 1234567890ABCEFFHIKLMNOQRSTUVZÕÄÈ!?...& 中分 FAX: 1234567890ABDEFFHJKLWNPRRSTUXZÕÄÊ"",,: 空火⊕ 123456789-ABDEFGHJKLWNPRRSTUXZÜÄÇ()//;#½ 🖼 🕒 123456789-ABDEFGHJLLWNPRRSTUXZÜÀÇ_x-+=8¾ ŵ 💽

Letter set with 336 characters

1234567890ABCEFGHJKMNOPRSTTVYÄÄÂÍÚÑÆ 6004 - 4mm | Character size 1234567890ABCEFGHJLMNOQRSTTVYÄÅÉÍÙÑÆ Letter set with 288 characters 1234567890ABCEFGIJLMNOQRSTUVYÄÄÉÌÙߌ 1234567890ABDEFGIJLMNOQRSTUVYÖÄÈÌÐ\$€ 1234567890ABDEFGIKLMNPRRSTUXZÖÁÈÓÞ&£ 1234567890ABDEFHIKLWNPRRSTUXZöÁÊÒØ*@ ()/:;!?..-ACDEFHIKLWNPRSSTUXZÜÂÇÕØ★@ _x-+="",,-ACDEFHJKLWOPRSSTVXZÜÂÇÕÇ≧≊

AABCDEEFFGHIJKLLMNNOPQRRS Letter set with 125 characters |AABCDEEFFGHIJKLLMNNOPQRRS STTUVWXYZ1234567890ÄÖÜÃÅÆ |STTUVWXYZ12345678900ÑÇĆČÐ |ŠŽ¼¾½/...,;:%%₤\$C=--+!?№#&

6005 - 5mm | Character size

Packaging



TRODAT SPECIAL APPLICATIONS

4911 STAMP 'N STICK



SOPHIE

38mm x 14mm | Max, text plate size For up to 3 lines of text 1 Letter + Number + Icon set. 1 pair of tweezers, 1 black textile ink cartridge, 1 meter iron fleece 30 stickers

For more information

see page 2-3

Product colour









4911 CLOTHING MARKER



MICHAEL STEVENS CLASS B2

38mm x 14mm | Max. text plate size For up to 3 lines of text 1 letter set 6004 (character size 4mm), 1 pair of tweezers, 1 ink cartridge, 1 strip of non-woven fabric for ironing in order to stamp on dark fabrics



see page 5

Other texts available:

! URGENT

The 4911 Clothing Marker is also available in a text version.



Packaging



ID PROTECTOR / ID PROTECTOR+



Ink roller with 25mm width

Product colour For more information.


Refill Ink 1-colour 3-pack

Packaging









47mm x 18mm | Max. text plate size

Product colour

Ink cartridge 6/4912



Packaging



4912 OFFICE PRINTY



47mm x 18mm | Max. text plate size

Product colour





COPY





TRODAT POCKET PRINTY

YOUR PERSONAL STAMP NO MATTER WHERE YOU GO.

Trodat's Pocket Printy range comes to fulfil the needs of stamp users who are on the move and look for a stamp which is functional, easy to carry and always ready to use.

Whether it's the compact size, the various colour choices, the simple sliding mechanism or the attractive design, the new Pocket Printy has all the features you need to make it your perfect portable stamp solution.



The Trodat Pocket Printy is available in 8 attractive colour variants.

POCKET PRINTY FEATURES



The stamp you carry everywhere It doesn't matter if it is in your pocket, with a lanyard or with the clip. With the Pocket Printy you can do it all.



Just slide and stamp! We keep it simple. An easy and intuitive one- handed slide mechanism.



trodat

Remarkably small! Perfect combination of size and weight.



A unique design with a familiar look It's modern design resembling the acclaimed Printy 4.0 makes the Pocket Printy the ideal newcomer to the Printy brand.



Right or left indicators The text plate holder indicates how to mount the text plate for your leftor right-handed customers, so their imprints are not upside down.




Customisable Personalize your pocket printy with your customers logo or your own brand



Additionally the icons on the replacement pads make the ink cartridge change faster and easier!

TRODAT POCKET PRINTY TEXT STAMP







Content display 9512:






TRODAT MOBILE PRINTY

It is perfect for all applications, whether you are on the move or at home.

- + Simple. Intelligent technology makes one-handed opening, stamping and closing possible.
- + Stable. The unique pyramid shape ensures optimum pressure distribution across the entire text plate, which guarantees uniform, clean impressions.
- + Clean. The internal pad makes touching the stamp's ink impossible and keeps your fingers stain-free.



040/123456

Ø 30mm | Max. text plate size


Packaging

Don Jaime 25 50003 Zaragoza


Tlf. 976.39.12.34

30mm x 30mm | Max. text plate size












TRODAT MICRO PRINTY

OUR STAMP IS SMALL. YOUR IMPRESSION IS POWERFUL.

During the development of the Micro Printy Trodat had one simple rule: design a compact, simple and lightweight stamp that delivers a superb impression whether you are at home, in the office or on-the-go.

Bold in style and functionality, the Micro Printy has an easy mechanism, constructed from high-quality materials and has a comforting familiar look, making it the ideal choice if a round portable stamp is what you are looking for.








GOLDRING STAMP PENS


The Goldring writing instruments with integrated stamp and soft touch for displays have a whole host of uses. Sophisticated mechanics ensure optimal pressure distribution across the entire text plate, guaranteeing even and clean impressions.

The combination of high-quality writing instrument and functional stamp makes the Goldring Smart Style a fine gift for every occasion. Guaranteed to bring the recipient lasting delight - whether used traditionally or digitally.





TRODAT VIENNA POCKET STAMPS





Société Malebrec

5, rue du Grand Palais 22300 Ploubezre France

39mm x 14mm | Max. text plate size

Peter Maxwell Agricultural Services

Agricultural Services Liverpool, Merseyside L38 1QD Phone: 01 51 / 123 456 78 peter.maxwell@hotmail.com

54mm x 18mm | Max. text plate size





TRODAT PREMIUM FLASH


With Trodat's Pre-inked Flash lines you get thousands of crisp and clear impressions, whether you use bold logos or fine lines. In addition they can be re-inked easily for thousands more.

Pre-inked stamps are very popular for large impressions, because the housing of the stamps is relatively small even for stamps with a large imprint area. All Trodat Premium Flash models promote dry cartridge inking concepts for efficient inventory management.









Improved Die Box:

Cutting and sealing of foam is done by new laser technology. Therefore no space is wasted, resulting in a larger impression area.



Trodat Flash Machine:

Quick & easy operation not only foam, but whole die box can be flashed at once.



Convenient Inking:

Fast & clean – no accessory or scale needed. The patented dry cartridge concept allows high inventory flexibility. Trodat Premium Ink migrates under 1h.



1-Step Assembly Maxlight:

The snap-in die box provides the simplest assembling possible.



1-Step Assembly PSI:

The slide-in die box provides the simplest assembling possible.



No Assembling Steps Super Slim:

Super Slim can be flashed and inked as a whole - no extra die box needed. Only the index card needs to be added as álways.

For ordering and delivery of these products, please contact your Trodat sales consultant.

MAXLIGHT **S**-Style





Packaging



- + Fastest and cleanest Trodat pre-inked production method.
- + One step assembly.
- + Larger impression area than Z-Style in same size mount.
- + Only to be used with Trodat Premium Flash Machine T1511M.

| L-: | 55 | S- | St | ylε | 9 6 | 5r | nn | n x | 61 | mm | |
|-----|----|----|----|-----|-----|----|----|-----|----|----|--|
|-----|----|----|----|-----|-----|----|----|-----|----|----|--|

Code 164146

XL-75 S-Style 43mm x 14mm

Code 115215

XL-115 S-Style 52mm x 21mm

Code 115216

XL-125 S-Style 54mm x 29mm

Code 111113

XL-145 S-Style 65mm x 19mm

Code 115217

XL-165 S-Style 67mm x 41mm

Code 104859

XL-185 S-Style

73mm x 27mm

Code 104635


XL-225 S-Style 79mm x 56mm

Code 163739

Available in grey body colour with black handle.

Delivered in bulk packaging including dry die box and flat single box (all parts separately).

Given order codes include all relevant parts. Must be ordered in quantities of 10 pieces per size. 5 colours of ink available (see page 63), to be ordered separately.



Available in grey body colour with black handle. Delivered in bulk packaging including dry die box and flat single box (all parts separately). Given order codes include all relevant parts. Must be ordered in quantities of 10 pieces per size. 5 colours of ink available (see page 63), to be ordered separately.

MAXLIGHT **Z**-Style



- + Easy assembling. + Can be used with most regular Flash machines.

| XL-55 Z-Style 62mm x 4mm |
|--------------------------|
|--------------------------|

Code 102850

XL-75 Z-Style 40mm x 11mm

Code 102859

XL-115 Z-Style 49mm x 17mm

Code 102821

XL-125 Z-Style 51mm x 25mm

Code 102825

XL-145 Z-Style 61mm x 15mm

Code 102826

XL-165 Z-Style 63mm x 37mm

Code 102828

XL-225 Z-Style 75mm x 51mm XL-185 Z-Style 71mm x 23mm Code 102829


Code 102831

| XL-245 Z-Style | | |
|----------------|--|--|
| 79mm x 30mm | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Code 102778

| | Z-Style x 45mm | | |
|--------|-------------------------------|--|--|
| Code 1 | 53145 | | |
| | XL-265 Z-Style 84mm x 17mm | | |
| | Code 102836 | | |

Available in grey body colour with black handle. Delivered in bulk packaging including dry cartridge, foam and flat single box (all parts separately). Given order codes include all relevant parts. Must be ordered in quantities of 10 pieces per size. 5 colours of ink available (see page 63), to be ordered separately.



- *Only available in Pre-Assembled Z-Style (die box can be disassembled for flashing).
- **Only available in Pre-Assembled Z-Style (die box **must** be disassembled for flashing).

Available in grey body colour with black handle. Delivered in bulk packaging including dry cartridge, foam and flat single box (all parts separately). Given order codes include all relevant parts. Must be ordered in quantities of 10 pieces per size. 5 colours of ink available (see page 63), to be ordered separately.

PSI **E**-Style



PSI 1919

19mm x 19mm

Code 115193

Code 115194

PSI 1444 E-Style 48mm x 18mm

PSI 1479 E-Style

PSI 1854 E-Style

60mm x 22mm

Code 115197

PSI 2264 E-Style 67mm x 25mm

83mm x 14mm

Code 115199

E-Style





+ Fastest and cleanest Trodat pre-inked production method.

- + One step assembly.
- + Larger impression area than Pre-Assembled Z-Style in same size mount.

Packaging

+ Only to be used with

Trodat Premium Flash Machine T1511M.

| PSI 3255 E-Style |
|------------------|
| 59mm x 35mm |
| |

Code 115207

| PSI 3679 E-Style 83mm x 38mm |
|---------------------------------|
| |
| |
| |

Code 115206

| PS | 1414 | 1 E- | Style | 9 | | |
|----|------|-------|-------|---|--|--|
| 44 | mm : | k 44n | nm | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| I | | | | | | |

Code 115208

Code 115200

| PSI 2773 E-Style 76mm x 29mm | | |
|---------------------------------|--|--|
| | | |
| | | |

Code 115205

Available in black body colour. Delivered in single box, dry die box packed separately. Given order codes include all relevant parts. Must be ordered in quantities of 10 pieces per size. 5 colours of ink available (see page 63), to be ordered separately.

PSI Pre-Assembled **Z**-Style





Packaging



- + Easy assembling.
- + Can be used with most regular Flash machines.

PSI 1919 Pre-Z-Style 19mm x 19mm

Code 103044

PSI 1444 Pre-Z-Style 41mm x 12mm

Code 103043

PSI 1479 Pre-Z-Style 76mm x 11mm

Code 103045

PSI 1854 Pre-Z-Style 52mm x 16mm

Code 103046

PSI 2264 Pre-Z-Style 62mm x 19mm

Code 103048

PSI 2773 Pre-Z-Style 70mm x 24mm

Code 103049

PSI 3255 Pre-Z-Style 55mm x 32mm

Code 103050

PSI 3679 Pre-Z-Style 76mm x 33mm

Code 103051

PSI 4141 Pre-Z-Style 37mm x 37mm

Code 103052

Available in black body colour. Delivered in single box, dry die box packed separately. Given order codes include all relevant parts. Must be ordered in quantities of 10 pieces per size. 5 colours of ink available (see page 63), to be ordered separately.

SUPER SLIM



Packaging

Packaging



- + Ultra low profile pocket stamp.
- + Entire stamp can be flashed.
- + Only to be used with

Trodat Premium Flash Machine T1511M.

Super Slim 1442 37mm x 11mm

Code 115152

Super Slim 2054 46mm x 14mm

Code 115160

Super Slim 2564 60mm x 22mm

Available in black body colour. Delivered dry in single box.
Given order codes include all relevant parts. Must be ordered in quantities of 10 pieces per size.
5 colours of ink available (see page 63), to be ordered separately.

Code 115168

SLIM STAMP **E**-Style



E-Style Die Box

- + Low profile pocket stamp.
- + Using the same die box (inking concept) as PSI E-Style with all its benefits.
- + Only to be used with

Trodat Premium Flash Machine T1511M.

| Slim Stamp 2773 E-Sty | ·le | |
|-----------------------|-----|--|
| 76mm x 29mm | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Code 115212

Slim Stamp 3679 E-Style 83mm x 38mm Slim Stamp 4141 E-Style 44mm x 44mm

Code 115214

Code 115213

Available in black body colour. Delivered in single box, dry die box packed separately. Given order codes include all relevant parts. Must be ordered in quantities of 10 pieces per size. 5 colours of ink available (see page 63), to be ordered separately.

SLIM STAMP Pre-Assembled **Z**-Style







Z-Style Die Box

- + Low profile pocket stamp. + Using the same die box (inking concept) as PSI Pre-Assembled Z-Style.
- + Can be used with most regular Flash machines.

Slim Stamp 1444 Pre-Z-Style 41mm x 12mm

Code 103067

Slim Stamp 1854 Pre-Z-Style 52mm x 16mm

Code 103226

Slim Stamp 2264 Pre-Z-Style 62mm x 19mm

Code 103068

Slim Stamp 2773 Pre-Z-Style

70mm x 24mm

Code 103069

Slim Stamp 3679 Pre-Z-Style 76mm x 33mm

Code 103070

Slim Stamp 4141 Pre-Z-Style 37mm x 37mm

Code 103071

Available in black body colour. Delivered in single box, dry die box packed separately. Given order codes include all relevant parts. Must be ordered in quantities of 10 pieces per size. 5 colours of ink available (see page 63), to be ordered separately.



INKS FOR TRODAT PREMIUM FLASH

- + Great impressions, no matter if bold logos or fine lines.
- + Fast ink migration.
- + For use with MaxLight, PSI, Super Slim and Slim Stamp.

MAXLIGHT PREMIUM INK 237ml (8oz)



Red Code 102524



Packaging



Purple Code 103231

MAXLIGHT REFILL INK 59ml (2oz)



Black Code 102521



Blue Code 102522









Packaging



Black Code 102535

Green Code 103214

Packaging



MAXLIGHT REFILL INK 7ml (1/4oz)





Code 102530





Code 102534







Purple

PREMIUM FLASH MACHINE T1511M







- + Works with all Premium Flash models and sizes (150mm x 110mm exposure area)
- + Supports all production methods no matter if Flash foam only or entire die box
- + Safe and easy operation (CE-certified)
- + Ensures perfect exposure results with 3 high quality lamps providing a very long lifetime
- + Continuous production process due to integrated cooling fan (no production downtime for extra cooling phases)
- + 220 240V AC power supply

PREMIUM VELLUM PAPER







The Trodat Premium Vellum Paper is used for printing artworks and is designed for monochrome (black & white) laser printers.

Available in two sizes:

- + pre-cut: 108mm x 140mm Code 114504
- + US letter: 216mm x 279mm Code 102934

PREMIUM TRANSPARENCY FILM







The clear Trodat Premium Transparency Film is placed on top of the printed vellum and is necessary for proper exposing results (prevents that toner from a printed vellum is transferred onto the foam).

Available in two sizes:

- + pre-cut: 108mm x 140mm Code 114511
- + US letter: 216mm x 279mm Code 102933

SPARE PARTS: DIE BOXES, FOAMS, CARTRIDGES

If needed all die boxes, foams and cartridges can also be ordered separately.

MAXLIGHT S-STYLE DIE BOXES



| XL-55 S-Style Die Box, Dry | Code 161236 |
|-----------------------------|-------------|
| XL-75 S-Style Die Box, Dry | Code 114799 |
| XL-115 S-Style Die Box, Dry | Code 114800 |
| XL-125 S-Style Die Box, Dry | Code 114801 |
| XL-145 S-Style Die Box, Dry | Code 114802 |

Must be ordered in quantities of 10 pieces per size.

Packaging



| XL-165 S-Style Die Box, Dry | Code 114803 |
|-----------------------------|-------------|
| XL-185 S-Style Die Box, Dry | Code 114804 |
| XL-225 S-Style Die Box, Dry | Code 161239 |
| XL-245 S-Style Die Box, Dry | Code 161240 |
| XL-275 S-Style Die Box, Dry | Code 151086 |
| XL-700 S-Style Die Box, Dry | Code 161241 |
| XL-305 S-Style Die Box, Dry | Code 161237 |
| XL-325 S-Style Die Box, Dry | Code 161238 |
| XL-535 S-Style Die Box, Dry | Code 114806 |
| XL-655 S-Style Die Box, Dry | Code 114807 |
| | |

MAXLIGHT Z-STYLE FOAMS + CARTRIDGES



| XL-55 Z-Style Foam Code 161242 XL-75 Z-Style Foam Code 159892 XL-115 Z-Style Foam Code 159893 XL-125 Z-Style Foam Code 159894 XL-145 Z-Style Foam Code 159895 XL-165 Z-Style Foam Code 159896 XL-185 Z-Style Foam Code 159897 XL-225 Z-Style Foam Code 161245 XL-245 Z-Style Foam Code 161246 XL-265 Z-Style Foam Code 103220 XL-275 Z-Style Foam Code 103222 XL-5050 Z-Style Foam Code 103222 XL-700 Z-Style Foam Code 102958 XL-750 Z-Style Foam Code 102957 XL-800 Z-Style Foam Code 151227 XL-305 Z-Style Foam Code 161243 XL-325 Z-Style Foam Code 161244 XL-495 Z-Style Foam Code 103221 XL-535 Z-Style Foam Code 159898 XL-655 Z-Style Foam Code 159899 | | |
|--|----------------------|-------------|
| XL-115 Z-Style Foam Code 159893 XL-125 Z-Style Foam Code 159894 XL-145 Z-Style Foam Code 159895 XL-165 Z-Style Foam Code 159896 XL-185 Z-Style Foam Code 159897 XL-225 Z-Style Foam Code 161245 XL-245 Z-Style Foam Code 161246 XL-265 Z-Style Foam Code 103220 XL-275 Z-Style Foam Code 151222 XL-5050 Z-Style Foam Code 103222 XL-700 Z-Style Foam Code 161247 XL-720 Z-Style Foam Code 102958 XL-750 Z-Style Foam Code 102957 XL-800 Z-Style Foam Code 151227 XL-305 Z-Style Foam Code 161243 XL-325 Z-Style Foam Code 161244 XL-495 Z-Style Foam Code 103221 XL-535 Z-Style Foam Code 159898 | XL-55 Z-Style Foam | Code 161242 |
| XL-125 Z-Style Foam Code 159894 XL-145 Z-Style Foam Code 159895 XL-165 Z-Style Foam Code 159896 XL-185 Z-Style Foam Code 159897 XL-225 Z-Style Foam Code 161245 XL-245 Z-Style Foam Code 161246 XL-265 Z-Style Foam Code 103220 XL-275 Z-Style Foam Code 103222 XL-5050 Z-Style Foam Code 103222 XL-700 Z-Style Foam Code 161247 XL-720 Z-Style Foam Code 102958 XL-750 Z-Style Foam Code 102957 XL-800 Z-Style Foam Code 151227 XL-305 Z-Style Foam Code 161243 XL-325 Z-Style Foam Code 161244 XL-495 Z-Style Foam Code 103221 XL-535 Z-Style Foam Code 159898 | XL-75 Z-Style Foam | Code 159892 |
| XL-145 Z-Style Foam Code 159895 XL-165 Z-Style Foam Code 159896 XL-185 Z-Style Foam Code 159897 XL-225 Z-Style Foam Code 161245 XL-245 Z-Style Foam Code 161246 XL-265 Z-Style Foam Code 103220 XL-275 Z-Style Foam Code 151222 XL-5050 Z-Style Foam Code 103222 XL-700 Z-Style Foam Code 161247 XL-720 Z-Style Foam Code 102958 XL-750 Z-Style Foam Code 102957 XL-800 Z-Style Foam Code 151227 XL-305 Z-Style Foam Code 161243 XL-325 Z-Style Foam Code 161244 XL-495 Z-Style Foam Code 103221 XL-535 Z-Style Foam Code 159898 | XL-115 Z-Style Foam | Code 159893 |
| XL-165 Z-Style Foam Code 159896 XL-185 Z-Style Foam Code 159897 XL-225 Z-Style Foam Code 161245 XL-245 Z-Style Foam Code 161246 XL-265 Z-Style Foam Code 103220 XL-275 Z-Style Foam Code 151222 XL-5050 Z-Style Foam Code 103222 XL-700 Z-Style Foam Code 161247 XL-720 Z-Style Foam Code 102958 XL-750 Z-Style Foam Code 102957 XL-800 Z-Style Foam Code 151227 XL-305 Z-Style Foam Code 161243 XL-325 Z-Style Foam Code 161244 XL-495 Z-Style Foam Code 103221 XL-535 Z-Style Foam Code 159898 | XL-125 Z-Style Foam | Code 159894 |
| XL-185 Z-Style Foam Code 159897 XL-225 Z-Style Foam Code 161245 XL-245 Z-Style Foam Code 161246 XL-265 Z-Style Foam Code 103220 XL-275 Z-Style Foam Code 151222 XL-5050 Z-Style Foam Code 103222 XL-700 Z-Style Foam Code 161247 XL-720 Z-Style Foam Code 102958 XL-750 Z-Style Foam Code 102957 XL-800 Z-Style Foam Code 151227 XL-305 Z-Style Foam Code 161243 XL-325 Z-Style Foam Code 161244 XL-495 Z-Style Foam Code 103221 XL-535 Z-Style Foam Code 159898 | XL-145 Z-Style Foam | Code 159895 |
| XL-225 Z-Style Foam Code 161245 XL-245 Z-Style Foam Code 161246 XL-265 Z-Style Foam Code 103220 XL-275 Z-Style Foam Code 151222 XL-5050 Z-Style Foam Code 103222 XL-700 Z-Style Foam Code 161247 XL-720 Z-Style Foam Code 102958 XL-750 Z-Style Foam Code 102957 XL-800 Z-Style Foam Code 151227 XL-305 Z-Style Foam Code 161243 XL-325 Z-Style Foam Code 161244 XL-495 Z-Style Foam Code 103221 XL-535 Z-Style Foam Code 159898 | XL-165 Z-Style Foam | Code 159896 |
| XL-245 Z-Style Foam Code 161246 XL-265 Z-Style Foam Code 103220 XL-275 Z-Style Foam Code 151222 XL-5050 Z-Style Foam Code 103222 XL-700 Z-Style Foam Code 161247 XL-720 Z-Style Foam Code 102958 XL-750 Z-Style Foam Code 102957 XL-800 Z-Style Foam Code 151227 XL-305 Z-Style Foam Code 161243 XL-325 Z-Style Foam Code 161244 XL-495 Z-Style Foam Code 103221 XL-535 Z-Style Foam Code 159898 | XL-185 Z-Style Foam | Code 159897 |
| XL-265 Z-Style Foam Code 103220 XL-275 Z-Style Foam Code 151222 XL-5050 Z-Style Foam Code 103222 XL-700 Z-Style Foam Code 161247 XL-720 Z-Style Foam Code 102958 XL-750 Z-Style Foam Code 102957 XL-800 Z-Style Foam Code 151227 XL-305 Z-Style Foam Code 161243 XL-325 Z-Style Foam Code 161244 XL-495 Z-Style Foam Code 103221 XL-535 Z-Style Foam Code 159898 | XL-225 Z-Style Foam | Code 161245 |
| XL-275 Z-Style Foam Code 151222 XL-5050 Z-Style Foam Code 103222 XL-700 Z-Style Foam Code 161247 XL-720 Z-Style Foam Code 102958 XL-750 Z-Style Foam Code 102957 XL-800 Z-Style Foam Code 151227 XL-305 Z-Style Foam Code 161243 XL-325 Z-Style Foam Code 161244 XL-495 Z-Style Foam Code 103221 XL-535 Z-Style Foam Code 159898 | XL-245 Z-Style Foam | Code 161246 |
| XL-5050 Z-Style Foam Code 103222 XL-700 Z-Style Foam Code 161247 XL-720 Z-Style Foam Code 102958 XL-750 Z-Style Foam Code 102957 XL-800 Z-Style Foam Code 151227 XL-305 Z-Style Foam Code 161243 XL-325 Z-Style Foam Code 161244 XL-495 Z-Style Foam Code 103221 XL-535 Z-Style Foam Code 159898 | XL-265 Z-Style Foam | Code 103220 |
| XL-700 Z-Style Foam Code 161247 XL-720 Z-Style Foam Code 102958 XL-750 Z-Style Foam Code 102957 XL-800 Z-Style Foam Code 151227 XL-305 Z-Style Foam Code 161243 XL-325 Z-Style Foam Code 161244 XL-495 Z-Style Foam Code 103221 XL-535 Z-Style Foam Code 159898 | XL-275 Z-Style Foam | Code 151222 |
| XL-720 Z-Style Foam Code 102958 XL-750 Z-Style Foam Code 102957 XL-800 Z-Style Foam Code 151227 XL-305 Z-Style Foam Code 161243 XL-325 Z-Style Foam Code 161244 XL-495 Z-Style Foam Code 103221 XL-535 Z-Style Foam Code 159898 | XL-5050 Z-Style Foam | Code 103222 |
| XL-750 Z-Style Foam Code 102957 XL-800 Z-Style Foam Code 151227 XL-305 Z-Style Foam Code 161243 XL-325 Z-Style Foam Code 161244 XL-495 Z-Style Foam Code 103221 XL-535 Z-Style Foam Code 159898 | XL-700 Z-Style Foam | Code 161247 |
| XL-800 Z-Style Foam Code 151227 XL-305 Z-Style Foam Code 161243 XL-325 Z-Style Foam Code 161244 XL-495 Z-Style Foam Code 103221 XL-535 Z-Style Foam Code 159898 | XL-720 Z-Style Foam | Code 102958 |
| XL-305 Z-Style Foam Code 161243 XL-325 Z-Style Foam Code 161244 XL-495 Z-Style Foam Code 103221 XL-535 Z-Style Foam Code 159898 | XL-750 Z-Style Foam | Code 102957 |
| XL-325 Z-Style Foam Code 161244 XL-495 Z-Style Foam Code 103221 XL-535 Z-Style Foam Code 159898 | XL-800 Z-Style Foam | Code 151227 |
| XL-495 Z-Style Foam Code 103221 XL-535 Z-Style Foam Code 159898 | XL-305 Z-Style Foam | Code 161243 |
| XL-535 Z-Style Foam Code 159898 | XL-325 Z-Style Foam | Code 161244 |
| , | XL-495 Z-Style Foam | Code 103221 |
| XL-655 Z-Style Foam Code 159899 | XL-535 Z-Style Foam | Code 159898 |
| | XL-655 Z-Style Foam | Code 159899 |

Must be ordered in quantities of 10 pieces per size.







| XL-55 Z-Style Cartridge, Dry | Code 161248 |
|--------------------------------|-------------|
| XL-75 Z-Style Cartridge, Dry | Code 159900 |
| XL-115 Z-Style Cartridge, Dry | Code 159901 |
| XL-125 Z-Style Cartridge, Dry | Code 159902 |
| XL-145 Z-Style Cartridge, Dry | Code 159903 |
| XL-165 Z-Style Cartridge, Dry | Code 159904 |
| XL-185 Z-Style Cartridge, Dry | Code 159905 |
| XL-225 Z-Style Cartridge, Dry | Code 161251 |
| XL-245 Z-Style Cartridge, Dry | Code 161252 |
| XL-265 Z-Style Cartridge, Dry | Code 103219 |
| XL-275 Z-Style Cartridge, Dry | Code 151225 |
| XL-5050 Z-Style Cartridge, Dry | Code 114445 |
| XL-700 Z-Style Cartridge, Dry | Code 161253 |
| XL-720 Z-Style Cartridge, Dry | Code 114443 |
| XL-750 Z-Style Cartridge, Dry | Code 102802 |
| XL-800 Z-Style Cartridge, Dry | Code 151228 |
| XL-305 Z-Style Cartridge, Dry | Code 161249 |
| XL-325 Z-Style Cartridge, Dry | Code 161250 |
| XL-495 Z-Style Cartridge, Dry | Code 114440 |
| XL-535 Z-Style Cartridge, Dry | Code 159906 |
| XL-655 Z-Style Cartridge, Dry | Code 159907 |
| | |

PSI/SLIM STAMP E-STYLE DIE BOXES

Packaging





| PSI 1919 E-Style Die Box, Dry | Code 114861 |
|------------------------------------|-------------|
| PSI 1444 E-Style Die Box, Dry | Code 114862 |
| PSI 1479 E-Style Die Box, Dry | Code 114864 |
| PSI 1854 E-Style Die Box, Dry | Code 114863 |
| PSI 2264 E-Style Die Box, Dry | Code 114865 |
| PSI/Slim 2773 E-Style Die Box, Dry | Code 114866 |
| PSI 3255 E-Style Die Box, Dry | Code 114867 |
| PSI/Slim 3679 E-Style Die Box, Dry | Code 114868 |
| PSI/Slim 4141 E-Style Die Box, Dry | Code 114869 |
| | |

Must be ordered in quantities of 10 pieces per size.

PSI/SLIM STAMP PRE-ASSEMBLED Z-STYLE DIE BOXES

Packaging





Improved die box

| PSI 1919 Pre-Assembled Z-Style Die Box, Dry | Code 103056 |
|--|-------------|
| PSI/Slim 1444 Pre-Assembled Z-Style Die Box, Dry | Code 157000 |
| PSI 1479 Pre-Assembled Z-Style Die Box, Dry | Code 157002 |
| PSI/Slim 1854 Pre-Assembled Z-Style Die Box, Dry | Code 157001 |
| PSI/Slim 2264 Pre-Assembled Z-Style Die Box, Dry | Code 157003 |
| PSI/Slim 2773 Pre-Assembled Z-Style Die Box, Dry | Code 157004 |
| PSI 3255 Pre-Assembled Z-Style Die Box, Dry | Code 157005 |
| PSI/Slim 3679 Pre-Assembled Z-Style Die Box, Dry | Code 157006 |
| PSI/Slim 4141 Pre-Assembled Z-Style Die Box, Dry | Code 157007 |

Codes to be requested.

Must be ordered in quantities of 10 pieces per size.

BROTHER® ADAPTERS

All 9 PSI models can be processed on the Brother® Stamp Creator using special adapters and die boxes.



Size comparison chart for proper size selection in Brother® software.

| Brother - Software. | | | |
|---------------------|---------|--|--|
| PSI | Brother | | |
| 1919 | 2020 | | |
| 1444 | 1438 | | |
| 1479 | 1060 | | |
| 1854 | 1850 | | |
| 2264 | 2260 | | |
| 2773 | 2270 | | |
| 3679 | 4090 | | |
| 3255 | 3458 | | |
| 4141 | 4040 | | |
| | | | |

Set of 9 PSI adapters for Brother® Stamp Creator: 1919, 1444, 1854, 1479, 2264, 2773, 3679, 3255, 4141 Code 114501

PSI PRE-ASSEMBLED Z-STYLE BROTHER® DIE BOXES

Packaging





Special transparency film already applied on foam (no extra transparency needed).

| PSI 1919 Pre-Assembled Z-Style Brother Die Box, Dry | Code 119779 |
|---|-------------|
| PSI 1444 Pre-Assembled Z-Style Brother Die Box, Dry | Code 157008 |
| PSI 1479 Pre-Assembled Z-Style Brother Die Box, Dry | Code 157010 |
| PSI 1854 Pre-Assembled Z-Style Brother Die Box, Dry | Code 157009 |
| PSI 2264 Pre-Assembled Z-Style Brother Die Box, Dry | Code 157011 |
| PSI 2773 Pre-Assembled Z-Style Brother Die Box, Dry | Code 157012 |
| PSI 3255 Pre-Assembled Z-Style Brother Die Box, Dry | Code 157013 |
| PSI 3679 Pre-Assembled Z-Style Brother Die Box, Dry | Code 157014 |
| PSI 4141 Pre-Assembled Z-Style Brother Die Box, Dry | Code 157015 |
| | |

Must be ordered in quantities of 10 pieces per size.

PSI MOUNTS WITHOUT DIE BOX

Packaging





| PSI 1919 Mount Only | Code 114499 |
|---------------------|-------------|
| PSI 1444 Mount Only | Code 110286 |
| PSI 1479 Mount Only | Code 114591 |
| PSI 1854 Mount Only | Code 110284 |
| PSI 2264 Mount Only | Code 103047 |
| PSI 2773 Mount Only | Code 110285 |
| PSI 3255 Mount Only | Code 114599 |
| PSI 3679 Mount Only | Code 114601 |
| PSI 4141 Mount Only | Code 114606 |

Must be ordered in quantities of 10 pieces per size.



TRODAT ULTIMARK

Ultimark Pre-Inked Flash stamps offer you the same impression quantity as well as quality compared to Trodat Premium Flash products. Ultimark models promote the pre-inked cartridge concept if this is your preference.

| TRODAT ULTIM | ARK | | | Packaging |
|-----------------------------|----------------------------|---|----------------------------|---------------------------|
| | UM-02 35mm x 10mm | UM-04 | 37mm x 11mm | |
| trodat* | UM-05 46mm x 15mm | | UM-08 71mm x 15mm | n |
| | UM-06 59mm x 15mm | | UM-10 59m | m x 21mm |
| UM-14 97mm x 21mm | | | | |
| | | | UM-24 72mm x 34mn | n |
| UM-12 72mm x 21mm | | | UM-23 59n | nm x 34mm |
| UM-34 97mm x 72mm | | | UN | 1-16 46mm x 27mm |
| OM-34 77111111 X 72111111 | | | | |
| UM-32 71mm x 59mm | UM- | 30 97mm x 46 | mm | |
| | | , | | |
| UM-28 46mm x 46mm | | | | |
| | UM-26 9 | 77mm x 34 mm | | |
| | | | | |
| | | | | |


TRODAT ULTIMARK







Packaging








| Ink Cartridge | Black | Blue | un- inked | Text Plates | |
|---------------|----------|----------|--------------|-------------|---|
| UM-02 | ~ | ~ | ~ | UM-2 | V |
| UM-04 | ~ | ~ | ~ | UM-4 | V |
| UM-05 | ~ | ~ | ~ | UM-5 | V |
| UM-06 | ~ | ~ | ~ | UM-6 | V |
| UM-08 | ~ | ~ | ~ | UM-8 | V |
| UM-10 | ~ | ~ | ~ | UM-10 | V |
| UM-12 | ✓ | V | V | UM-12 | V |
| UM-14 | ~ | ~ | ~ | UM-14 | V |
| UM-16 | ~ | ~ | ~ | UM-16 | V |
| UM-17 | ~ | ~ | V | UM-17 | V |
| UM-20 | ✓ | ~ | ✓ | UM-20 | ~ |
| UM-23 | ~ | ~ | ~ | UM-23 | V |
| UM-24 | ~ | ~ | ~ | UM-24 | V |
| UM-25 | ~ | ~ | ~ | UM-25 | V |
| UM-26 | ✓ | ✓ | ✓ | UM-26 | V |
| UM-28 | ✓ | ✓ | ✓ | UM-28 | ~ |
| UM-30 | ✓ | ~ | V | UM-30 | V |
| UM-32 | ~ | ~ | ~ | UM-32 | V |
| UM-34 | V | ~ | ~ | UM-34 | ~ |
| UM-35 | V | ~ | ~ | UM-35 | V |
| UM-45 | ~ | ~ | ~ | UM-45 | V |

TRODAT ULTIMARK RE-INKING FLUID




Packaging





TRODAT ULTIMARK FLASH INK







PREMIUM FLASH MACHINE T1511M





- + Works with all Ultimark sizes
- (150mm x 110mm exposure area)
- + Additional spacer for Ultimark production supplied
- + Safe and easy operation (CE-certified)
- + Ensures perfect exposure results with 3 high quality lamps providing a very long lifetime
- + Continuous production process due to integrated cooling fan (no production downtime for extra cooling phases)
- + 220 240V AC power supply

IDEAL VELLUM A4



The Trodat Ideal Vellum is used for printing artworks and is designed for monochrome (black & white) laser printers.

Available in A4 size: 210mm x 297mm



ULTIMARK PROTECTIVE FILM



The clear Trodat Ultimark Protective Film is placed on top of the printed vellum and is necessary for proper exposing results (prevents that toner from a printed vellum is transferred onto the foam).

Available in pre-cut size: 124mm x 114mm






TRODAT ROYAL MARK

The text plate for this pre-inked stamp is produced by laser. It is then filled with ink, so that no separate ink pad is required.

For production use microporous laserfoam (p.95).









TRODAT CLASSIC


The models within the Trodat Classic line are timeless. They are available in various sizes. Whether you require the stamp to feature a date, number, text or the time, you will find the perfect traditional stamp to fit your needs.

The design reflects the modern, dynamic workplace and is a seamless addition to the existing Professional 4.0 and Printy 4.0 models. Honouring our commitment to sustainability, all plastic housings are made of ABS post-consumer recycled materials and manufactured in Austria. These hand stamps require the Classic hand stamp pads (see page 74).









1117 + 1117/L + DIAL-A-PHRASE AND DATE



CHECKED 17 NOV 2029

Other texts:

ANSWERED | backordered | CANCELLED | BILLED | RECEIVED | CHARGED CHECKED | DELIVERED | ENTERED | PAID | SHIPPED | FAXED

1117L - 4mm | Character size

ANSWERED | SUPPLY BY | CANCELLED | ORDERED | INVOICED | CHECKED ACKNOWL'D | TELEPHONED | PAID | RECEIVED | DELIVERED | ENTERED

Packaging



1534 - 151810 + NUMBERERS





3mm Character size

4mm

Character size

5mm

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6

1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6

Character size

1234567890123456

12mm Character size 12345678901234

15mm


123456789012

18mm

1234567890

TRODAT SPECIAL ACCESSORIES

Important accessories to complete your Trodat product range



holds 8 stamps (plastic)

Stamp racks for hand stamps.

2 3014 holds 14 stamps (plastic) 3. 3010/M holds 10 stamps (metal) 4. 3016/M holds 16 stamps (metal) Packaging

Character size

Character size

AVAILABLE STANDARD BANDS

You may customise your hand stamp numberer with letter bands (A-M and N-Z) and/or with special bands (letters, numbers or symbols as required). Custom bands are available upon request.

14 Lines

Hand Stamps

are available in 3, 4, 5, 7, 9, 12mm font size

Bands 1 2 3 4 5 6 A N Band name 4 5 6 A N 0 1 2 K 1 2 3 L 2 3 4 M

12 Lines

Hand Stamps are available in 15 and 18mm font size

| | | | - | | | | | | | | 7 | | | | | |
|-----|-----|---|---|---|-----|-----|---|----|---|----|---|---|---|---|---|----------------|
| Ва | nds | 5 | | | | | | | _ | | | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | Α | N | | 8 | 9 | / | - | Х | | , Band name |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | A | N | | 8 | 9 | / | - | X | | |
| 2 | 3 | 4 | 5 | 6 | 7 | 8 | В | 0 | | 9 | ¢ | | | | | |
| 3 | 4 | 5 | 6 | 7 | 8 | 9 | Ċ | P | | \$ | | N | O | N | O | |
| 4 | 5 | 6 | 7 | 8 | 9 | 3 4 | Ď | Ü | | Ì | N | 1 | 1 | 1 | 1 | |
| 5 | 6 | 7 | 8 | 9 | 1 4 | - | F | R | | N | 1 | 2 | 2 | 2 | 2 | |
| 6 | 7 | 8 | 9 | X | 1 2 | N | Ē | S | | 1 | 2 | 3 | 3 | 3 | 3 | |
| 7 | 8 | 9 | € | | ń | 1 | G | T | | 2 | 3 | 4 | 4 | 4 | 4 | |
| | q | - | / | , | 4 | • | П | 'n | | 3 | 4 | 5 | 5 | 5 | 5 | |
| 8 | 3 | , | / | U | 1 | 2 | П | V | | | | J | | | | |
| 9 | | / | U | 1 | 2 | 3 | J | ٧ | | 4 | 5 | þ | 6 | 6 | 6 | |
| St. | • | 0 | 1 | 2 | 3 | 4 | K | W | | 5 | 6 | 7 | 7 | 7 | 7 | |
| No | 0 | 1 | 2 | 3 | 4 | 5 | L | X | | 6 | 7 | 8 | 8 | 8 | 8 | |
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | M | Z | | 7 | 8 | 9 | 9 | 9 | 9 | |



T234567-9

Nettomasse 2345 kg

123456

single pieces to serial production. Worldwide,

Configure your stamp for a wide range of applications

- Be it language font type, size of characters
- Depending on the application, we can offer bands with oil- and acid-resistant materials that are matched to aggressive or quick-drying stamp inks. Our products have been used for many years in lots of industries and production plants.

Angebot: 23456789 Because the simple solution is often the best!

For enquiries about Trodat Special, please

3 mm 5 mm Classic Classic

A-Z + 0-9

Bands

Z , Band name

DEFG

0 P

Q R S T

Model

1536

1546

1556

1576

1596 15126

Classic mm 1 2 5 4 6 3 Band name 3 N° / X € 1/4 Kg € - / ¢ 1/2 % 4 5 # 7 . - , 3/4 /

BAND LAYOUT FOR TRODAT CLASSIC FOR CHARACTER SIZES UP TO 12mm

Model 1 2 3 4 Band 0 0 0 0 1534 / Kg € - % ¢ 1554 1574 1594 15124 12

| Model | | 8 B | ands | 5 | | | | | | |
|---------|----|-----|------|---|---|---|---|-----|----|----------------|
| Classic | mm | 1 | 2 | 2 | 2 | 5 | 4 | 6 | 3 | . Band name |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 1538 | 3 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| 1548 | 4 | N° | / | / | / | Χ | € | 1/4 | Kg | |
| 1558 | 5 | € | - | - | - | / | ¢ | 1/2 | % | |
| 1578 | 7 | # | | | | - | , | 3/4 | / | |
| 1598 | 9 | \$ | | | | | | | | |
| 15128 | 12 | | | | | | | | | |

| M | odel | | 10 | Band | İs | | | | | | | | |
|-----|-------|----|----|------|----|---|---|---|---|---|---|---|--------|
| Cli | assic | mm | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | , Band |
| | | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 15 | 310 | 3 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| 15 | 410 | 4 | / | / | / | / | / | / | / | / | / | / | |
| 15 | 510 | 5 | - | - | - | - | - | - | - | - | - | - | |
| 15 | 710 | 7 | | | | | | | | | | | |
| 15 | 910 | 9 | | | | | | | | | | | |
| 15 | 1210 | 12 | | | | | | | | | | | |

Model Classic mm 2 2 2 2 2 2 2 2 2 2 2 2 2 3 Sand name 2 9 9 9 9 9 9 9 9 9 9 9 9 9 9 15312 3 15412 4 5 15512 7 15712 15912 151212 12

| Model | | 14 | Band | ls | | | | | | | | | | | | |
|---------|----|----|------|----|---|---|---|---|---|---|---|---|---|---|---|---------------|
| Classic | mm | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | < Band nam |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 15314 | 3 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| 15414 | 4 | / | / | / | / | / | / | / | / | / | / | / | / | / | / | |
| 15514 | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 15714 | 7 | | | | | | | | | | | | | | | |
| 15914 | 9 | | | | | | | | | | | | | | | |



Can't find the right one? A team of long-standing employees will be happy to support you with custom-made band stamps.

On request, we will engrave your texts and produce custom-made band and plate stamps for you, from

in all areas of use:

- or symbols, almost anything is possible.

contact your Trodat representative.

Model

| Classic | mm | |
|---------|----|--|
| | 2 | |
| 15316 | 3 | |
| 15416 | 4 | |
| 15516 | 5 | |
| 15716 | 7 | |
| 15916 | 9 | |

| | 14 | Band | 1. | | | | | | | | | | | | | | |
|---|----|------|----|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| , | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | . Band |
| | | - | - | - | - | | | - | - | - | - | - | | - | - | - | name |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | / | / | / | / | / | / | / | / | / | / | / | / | / | / | / | / | |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

2 1/2 only 15 bands

Mod

| Classic | mm |
|---------|----|
| | 2 |
| 15318 | 3 |
| 15418 | 4 |

| odel | | 18 | Band | İs | | | | | | | | | | | | | | | | |
|-------|----|----|------|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| assic | mm | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | Rand name |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 318 | 3 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| 418 | 4 | / | / | / | / | / | / | / | / | / | / | / | / | / | / | / | / | / | / | |
| | | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |

Model

| 15320 | 3 |
|-------|---|

| | 20 | Banc | 15 | | | | | | | | | | | | | | | | | | |
|---|----|------|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------|
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | , Band name |
| ١ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | / | / | / | / | / | / | / | / | / | / | / | / | / | / | / | / | / | / | / | / | |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |

Model

| Classic | mm | |
|---------|----|--|
| 15322 | 3 | |

| | 22 | Band | İs | | | | | | | | | | | | | | | | | | | | |
|---|----|------|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | Band name |
| ı | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 1 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| 1 | / | / | / | / | / | / | / | / | / | / | / | / | / | / | / | / | / | / | / | / | / | / | |
| 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 1 | | | | | | | | | - | | | | | | | | | | | | - | | |
| | | | | | | | | | | | | | | | | | | | | | | | |

Setting the date/text 1117 Select a phrase Hand stamp pad Stamp rack


BAND LAYOUT FOR TRODAT CLASSIC FOR CHARACTER SIZES 15mm AND 18mm



| Model | | 6 Bands | | | | | | | |
|---------|----|---------|-----|---|---|---|-----|-----|-----------|
| Classic | mm | | 1 | 2 | 5 | 4 | 7 | 6 | Band name |
| 15156 | 15 | | 0 | 0 | 0 | 0 | 0 | 0 | |
| 15186 | 18 | | 9 | 9 | 9 | 9 | 9 | 9 | |
| | | | St. | / | Χ | € | 3/4 | 1/4 | |
| | | | No | | , | / | - | 1/2 | |

| Model | | 8 B | ands | ; | | | | | | |
|---------|----|-----|------|---|---|---|---|-----|-----|----------------|
| Classic | mm | 1 | 2 | 2 | 2 | 5 | 4 | 7 | 6 | < Band name |
| 15158 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 15188 | 18 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | | St. | / | / | / | Χ | € | 3/4 | 1/4 | |
| | | No | | | | , | / | - | 1/2 | |

| Model | | 10 | Band | ls | | | | | | | | |
|---------|----|----|------|----|---|---|---|---|---|---|---|-----------|
| Classic | mm | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | Band name |
| 151510 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 151810 | 18 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | | - | - | - | - | - | - | - | - | - | - | |
| | | / | / | / | / | / | / | / | / | / | / | |



TRODAT CLASSIC HAND STAMP PADS

The Classic hand stamp pads from Trodat create thousands of the best stamp impressions.

Trodat offers a variety of sizes with plastic housing and with a high-quality metal cover. Both Classic hand stamp pad lines boast a new, modern design, with eco-friendly plastic parts made of at least 95% recycled plastic, as well as the water-based ink in the felt pad indelible in accordance with DIN ISO 14145-2.

The black hand stamp pads meet the requirements for archivability according to DIN ISO 11798 standard.



CLASSIC HAND STAMP PAD PRODUCT ADVANTAGES




Solid metal lid in a contemporary premium design



Delivers Trodat's best stamp impressions due to a very fine pad structure, allowing an even ink distribution on the stamps' text plates. Always ready-to-use in all climate conditions: due to Trodat stamp ink's hygroscopic characteristics the pad refreshes by drawing moisture from the air




Practical one hand operation thanks to best ergonomics




Stamp pad colour displayed on the casing for easy colour identification


CLASSIC HAND STAMP PADS WITH METAL COVER



CLASSIC HAND STAMP PADS WITH RECYCLED PLASTIC HOUSING



*Minimised CO₂ footprint




TRODAT FINGERPRINT PADS

Trodat fingerprint pads quarantee thousands of sharp-edged, durable and waterproof fingerprints on paper. The ink is dermatologically tested and can be removed by simply rubbing the fingers. The ink meets the requirements of the migration of specific elements in accordance with EN 71-3:2019 and (EU) 2019/1922 (toy safety).



TRODAT IDEAL SEAL. EFFORTLESS EMBOSSING. PERFECT IMPRESSION.

There is no limit to the number of possible applications of Trodat Ideal seal presses: whether used for your company logo, home address or invitations, embossing will always make your documents look more elegant.





SOPHISTICATED TECHNOLOGY FOR EFFORTLESS EMBOSSING..



Product colours

quality with minimum effort. Its sleek design means it can be used as a universal desk or pocket seal press.

1. Minimal force required for embossing



2. Clear indication when embossing is finished



3. Ergonomic & lightweight



4. Reinforced die holder

..AND PERFECT IMPRESSIONS

The Trodat Ideal Seal creates a wonderfully detailed embossing. The short grip span makes it easy to create an impression with minimal effort. The intuitive design of the seal press ensures that it is simple to insert the die plate holder. The Trodat Ideal Seal Press' unique ergonomics ensure it is lightweight, making it comfortable to use both in the office and when travelling.



1. Consistent & perfect imprint quality





2. Simple, precise imprint positioning



3. The plate holder is easy to fit & change



4. Universal use as a pocket & desk seal press

Product colour

Product colour





















Ø 41mm

Ø 51mm

25mm x 51mm



Plastic box - as a gift box, for storage or as transport protection Faux leather pouch - unpunched or 2 holes Base plate - for frequent use as a desk seal

Packaging

DELRIN PLATES FOR LASER ENGRAVING

Delrin plates: white, black

DIE PLATES FOR MECHANICAL ENGRAVING

Gold adhesive labels

Silver adhesive labels Size: ø 55mm

For mechanical dies and laser dies

25mm x 51mm just for laser engraving

Size: ø 55mm

Size:

Size: Ø 41mm

DIE PLATE CUSHION

Ø 51mm 25mm x 51mm

Ø 41mm

Ø 51mm

number of seal dies.

SEAL PRESS ACCESSORIES

The plate size is larger than A4 and so is excellent for a maximum

Die plate ø 41mm – white metal die without engraving (blank) Die plate ø 41mm – white metal die with double borders (pre-pressed)

Die plate ø 51mm – brass die with double borders (pre-pressed)

Die plate ø 51mm – brass die without engraving (blank)





IDEAL SEAL 51 mm



Product colour

41mm zinc Delrin white Delrin black



IDEAL SEAL 51 x 25 mm



EFFORTLESS EMBOSSING. TRODAT IDEAL SEAL PERFECT IMPRESSION.

Size available only for laser engraving

Product colour

Product colour

51mm x 25mm Delrin white Delrin black

Packaging

MONOGRAM SEAL PRESS DO-IT-YOURSELF

IDEAL MONOGRAM SEAL



Provides the opportunity to ennoble print materials such as invitations, vouchers, place cards, napkins and so much more with your own initials.





SEAL PRESS

Product colour

Available dies

ADHESIVE LABELS

DIE HOLDER SET

SPACER

Packaging





Available dies





JUSTRITE INDUSTRIAL. BUILT TO LAST.

JUSTRITE SI2 OPTIMIZED AND IMPROVED

For decades, JustRite self-inking stamps have represented the highest quality in special demands on the stamp. Due to their high-quality improved all-metal design, they can be used for intense demanding applications and in challenging industrial environment. Due to the modular design of the stamp, it can easily be integrated into specific industrial applications in the production process.

JustRite - built to last.



DFTAILS



All-metal construction - highest stability & endurance



Ink cartridge functions with special inks



Suitable for integration in an industrial production process



JustRite- easy & clean ink cartridge replacement

For ordering and delivery of these products, please contact your Trodat sales consultant.

JUSTRITE TEXT STAMPS





Si 31-F 36mm

SI 31-PL 36mm x 22mm

SI 32-PL 50mm x 22mm

SI 33-PL 63mm x 22mm

SI 34-PL 76mm x 22mm

SI 42-PL 66mm x 31mm

SI 52-PL 66mm x 39mm

SI 44-PL 101mm x 31mm

SI 54-PL 101mm x 39mm

SI 94-PL 101mm x 52mm

JUSTRITE DATE STAMPS



SI 32-FB 50mm x 22mm

1 7 NOV. 2032

4mm | Date size

SI 44-FB 101mm x 31mm

1 7 NOV 2026

Packaging

4mm | Date size

SI 54-FB

101mm x 39mm 4mm | Date size

1 7 NOV. 2032

SI 94-FB

101mm x 52mm 4mm | Date size

1 7 NOV. 2032



1 7 NOV. 2032

1 7. NOV. 2032

4 mm | Date size

5 mm | Date size

TRODAT NUMBERING MACHINES

Trodat numbering machines can be used to stamp up to 6 digits, for numbering items consecutively or repeating a single number.

NUMBERING MACHINES



123456

5756 - roman 5,5 mm

metal frame plastic frame

Different actions: repeat (0), continuous (1), duplicate (2) repetition 3, 4, 5, 6 or 12 times

Ink cartridge **6/5756**



Packaging



PRINTING SET

Single-line type holders in two lengths, with a special snap-in system to have more text lines

TYPO 6512- PRINTING SET




PRINTING SET TYPO 6512

12mm | Character height 312 characters 1 pair of tweezers and 1 black ink cartridge included Ink cartridge



Packaging





INK CARTRIDGES

FOR TRODAT **PROFESSIONAL**™

By using Trodat replacement pads you can be sure that your stamps will always deliver uniform and clean impressions. Both the pad material and the ink colour have been continuously perfected over many years of research. Replacement pads are available for all Professional, Printy, Mobile Printy, Pocket Printy, JustRite and Numbering Machine models. Trodat replacement ink cartridges are inked with 7012 MCI colours. The standard range of Trodat 7012 stamp inks including, black, red, green, blue and violet – is indelible in accordance with DIN ISO 14145-2 and therefore creates the perfect, high-quality impression. Furthermore, the black ink meets the permanence and durability properties as certified by the Standard DIN ISO 11798. The performance features of the 7012 MCI stamp inks are outlined in the section "Trodat Stamp Inks".

| | | | |
|------------|---------------|----------------|----------|
| Stamp | Ink cartridge | 1-colour | 2-colour |
| 5200 | 6/50 | | _ |
| 5203 | 6/53 | 6 6 6 | - |
| 5204 | 6/56 | 6 6 6 | - |
| 5205 | 6/55 | 6 6 6 | - |
| 5206 | 6/56 | 6 6 6 | - |
| 5207 | 6/57 | 6 6 6 | - |
| 5274 | 6/58 | 6 6 6 6 | - |
| 5208 | 6/58 | 6 6 6 | - |
| 5211 | 6/511 | 6 6 6 | _ |
| 5212 | 6/512 | 6 6 6 | - |
| 52045 | 6/15 | 666 | - |
| 52040 typo | 6/52040 | 6 6 6 | - |
| | 6/52040/2R | | |
| 5030 | 6/50 | 666 | _ |
| 54045 | 6/15 | 6666 | _ |
| | 6/15/2 | | |
| | 6/15/2R | | • |
| 5430 | 6/50 | 6 6 6 6 | _ |
| | 6/50/2 | | |
| 5430/L | 6/50 | | _ |
| | 6/50/2 | | |
| 5431 | 6/50 | | _ |
| | 6/50/2 | | |
| 5440 | 6/53 | | _ |
| | 6/53/2 | | |
| 5440/L | 6/53 | | _ |
| | 6/53/2 | | |
| 5460 | 6/56 | | _ |
| | 6/56/2 | | |
| 5460/L | 6/56 | 4 4 4 6 | - |
| | 6/56/2 | | |
| 5470 | 6/57 | | _ |
| | 6/57/2 | | |
| 5474 | 6/58 | | |
| | 6/58/2 | | |
| 5480 | 6/58 | 6666 | |
| | 6/58/2 | | |
| 54110 | 6/511 | | - |
| | 6/511/2 | | |
| 54120 | 6/512 | 666 | |
| | 6/512/2 | | |
| 54126 | 6/512 | 6 6 6 6 | - |
| | 6/512/2 | | |

| FOR TRODAT PROFESSIONAL ™ | | | | | |
|----------------------------------|------------------|------------------|----------|--|--|
| Stamp | Ink cartridge | 1-colour | 2-colour | | |
| 5117 | 6/56 | 666 | _ | | |
| 5546 | 6/50 | 666 | _ | | |
| 5558 | 6/56 | 666 | _ | | |
| 5558/PL | 6/56 | 666 | _ | | |
| 55510 | 6/56 | 666 | _ | | |
| 55510/PL | 6/56 | 666 | _ | | |
| 55512 | 6/58 | 666 | _ | | |
| 55418 | 6/58 | 666 | _ | | |
| 5253 | 6/53 | 666 | _ | | |
| 5435 | 6/50 6/50/2 | 6666 | _ | | |
| 5465 | 6/56 6/56/2 | | - | | |
| 5466/PL | 6/56 | 666 | _ | | |
| 5485 | 6/58 6/58/2 | | - | | |
| 54510 | 6/511 6/511/2 | . • • • • | - | | |

| FOR JUSTRITE | | | | | |
|----------------------------|-----------------|------------------|--------|--|--|
| Stamp | Ink car Felt | rtridge Ratex | Colour | | |
| SI2 31-PL, SID-1 | 6/31 | 6/31 | ٥ | | |
| SI2 32-PL, SI 32-FB, SID-2 | 6/32 | 6/32 | ٥ | | |
| SI2 33-PL | 6/33 | 6/33 | ٥ | | |
| SI2 34-PL | 6/34 | 6/34 | ٥ | | |
| SI2 42-PL | 6/42 | 6/42 | ٥ | | |
| SI2 44-PL, SI 44-FB | 6/44 | 6/44 | ٥ | | |
| SI2 52-PL | 6/52 | 6/52 | ٥ | | |
| SI2 54-PL, SI 54-FB | 6/54 | 6/54 | ٥ | | |
| SI2 94-PL, SI 94-FB | 6/94 | 6/94 | ٥ | | |

| FOR TRODA | T PRINTY | | |
|-----------------|--------------------|-----------------|--------------|
| | | | |
| Stamp | Ink cartridge | 1-colour | 2-colour |
| 4907 | 6/4907 | 6666 | - |
| 4908 | 6/4908 | 6666 | - |
| 4910 | 6/4910 | 666 | - |
| 4911 (typo) | 6/4911 | 666 | - |
| | 6/4911 Textile | Clothing Marker | _ |
| 4912 (typo) | 6/4912 | 6 6 6 6 | - |
| | 6/4912 Textile | Clothing Marker | _ |
| Office Printy | 6/4912/2 | | |
| 4912 ID protec. | 6/4912 | • | - |
| 4913 (typo) | 6/4913 | | - |
| 4914 | 6/4914 | | - |
| 4915 | 6/4915 | | _ |
| 4916 | 6/4916 | | _ |
| 4917 4918 | 6/4817 6/4918 | | _ |
| 4918 | 6/4921 | | - |
| 4922 | 6/4922 | 6666 | |
| 4933 | 6/4933 | | _ |
| 4923/4930 | 6/4923 | 6666 | |
| 4924/4940 | 6/4924 | 6666 | |
| 4925 | 6/4925 | 6666 | - |
| 4926 | 6/4926 | 666 | - |
| 4927 (typo) | 6/4927 | 666 | - |
| 4928 (typo) | 6/4928 | 666 | - |
| 4929 (typo) | 6/4929 | 666 | - |
| 4931 (typo) | 6/4931 | 6666 | - |
| 4941 (4760) | 6/4750 | | - |
| 44045 | 6/44045 | | - |
| 44055 | 6/44055 | | - |
| 4612 | 6/4612 | | _ |
| 46019 | 6/46019 | | _ |
| 46025 46045 | 6/46025 6/46045 | 6666 | |
| 4630 (typo) | 6/4630 | | _ |
| 4000 (1) po) | 6/4630/2R | | • |
| 4638 | 6/4638 | 6666 | - |
| 4642 (typo) | 6/4642 | 6666 | _ |
| | 6/4642/2R | | |
| 4645 | 6/4645 | 666 | _ |
| 46050 | 6/46050 | 666 | - |
| 4724 | 6/4924 | 666 | - |
| | 6/4924/2 | | |
| 4726 | 6/4926 | | |
| | 6/4926/2 | | |
| 4727 | 6/4927 | | _ |
| /720 | 6/4927/2 | 6666 | |
| 4729 | 6/4929 6/4929/2 | | _ |
| 4730 | 6/4927 | | _ |
| 4700 | 6/4927/2 | | _ |
| 4731 | 6/4931 | | |
| | 6/4931/2 | | _ |
| 4740 | 6/4924 | 6 6 6 | _ |
| 4750/4750L | 6/4750 | 666 | - |
| | 6/4750/2 | | |
| 46119 | 6/46019 | 6 6 6 6 | - |
| 46125 | 6/46025 | | _ |
| 46130 | 6/46030 | | - |
| | 6/46030/2 | | |

| OR TRODAT | PRINTY | | |
|-------------|---------------|----------------|----------|
| Stamp | Ink cartridge | 1-colour | 2-colour |
| 46140 (U/L) | 6/46040 | 666 | - |
| | 6/46040/2 | | |
| 46145 | 6/46045 | 6 6 6 6 | - |
| | 6/46045/2 | | |
| 4800 | 6/4911 | 666 | - |
| 4810 | 6/4910 | 666 | - |
| | 6/4850 | | - |
| 4813 | 6/4817 | 666 | _ |
| 4816/4816PL | 6/4817 | | - |
| | 6/4817/2 | | |
| 4817/4812 | 6/4817 | 666 | _ |
| 4820 | 6/4911 | 666 | |
| 4822 | 6/4911 | 666 | - |
| 4836 | 6/4910 | 666 | _ |
| | 6/4850 | | - |
| 48313 | 6/4817 | | _ |
| 4846 | 6/4911 | 666 | - |
| 4850/4850L | 6/4850 | 666 | _ |
| | 6/4850/2 | 6 6 6 6 | |
| 4951 | 6/4911 | 666 | _ |
| 4952 | 6/4912 | 666 | _ |
| 4953 | 6/4913 | 666 | _ |
| 4957 | 6/4927 | 666 | _ |
| 4958 | 6/4928 | 666 | - |
| 4755 | 6/4750 | 666 | - |
| | 6/4750/2 | | |
| 4757 | 6/4927 | 666 | _ |
| | 6/4927/2 | | |
| 496201-04 | 6/4912 | 6666 | _ |

| FOR TRODAT POCKET PRINTY | | | | | | |
|--------------------------|---------------|------------|----------|--|--|--|
| Stamp | Ink cartridge | 1-colour | 2-colour | | | |
| 9511 (typo) | 6/9511 | 666 | - | | | |
| 9512 (typo) | 6/9512 | | _ | | | |

| FOR TRODA | FOR TRODAT MOBILE PRINTY | | | | |
|-------------|--------------------------|------------|----------|--|--|
| Stamp | Ink cartridge | 1-colour | 2-colour | | |
| 9411 (typo) | 6/9411 | 666 | - | | |
| 9412 (typo) | 6/9412 | 666 | - | | |
| 9413 | 6/9413 | 666 | - | | |
| 9425 | 6/9425 | 666 | _ | | |
| 9430 | 6/9430 | 666 | _ | | |
| 9440 (typo) | 6/9440 | 666 | _ | | |

| FOR TRODAT NUMBERING MACHINES | | | | | |
|-------------------------------|---------------|----------|----------|--|--|
| Stamp | Ink cartridge | 1-colour | 2-colour | | |
| 5746 P/M | 6/5756 | 6 | - | | |
| 5756 P/M | 6/5756 | ♦ ♦ | - | | |



TRODAT LASER RUBBER

Is there such a thing as a laser rubber that suits every application? Probably not. That's why Trodat has developed a range of products that meet all requirements. Which text plate rubber is right for you depends entirely on your business and on the kind of orders you have. The choice is yours!

With Trodat laser rubber you choose the best engraving results and highest productivity.

ALL GOOD THINGS COME...

The results are so convincing because coordinated research work is carried out into all three segments: stamp components, laser engraving equipment and text plate materials. It is the combination of these three well-coordinated components that creates the unique features that allow Trodat customers to clearly stand out from the competition.







AER0+



Odourless laser rubber

- + Top impression quality for FINE & BOLD layouts
- + Readapted material formula for filter cost savings
- + Minimal dust residue Very easy to clean
- + No odour while engraving
- + As fast as standard laser rubber
- + Meets requirements of the migration of specific elements in accordance with EN 71-3:2019 and (EU) 2019/1922 (toy safety).
- + 52 Shore-A

Sizes: A4 / 2.3mm A3 / 2.3mm Colour: pearl grey - 850211 Colour: pearl grey - 850211 Packaging



AERO



Odourless laser rubber

- + Low odour while engraving
- + As fast as standard laser rubber
- + Very easy to clean
- + Meets requirements of the migration of specific elements in accordance with
- EN 71-3:2019 and (EU) 2019/1922 (toy safety).
- + 60 Shore-

Sizes: A4 / 2.3mm A3 / 2.3mm Colour: light grey - 850208 Colour: light grey - 850208

Packaging



AERO+5mm



The perfect laser rubber for large-scale packaging markings

- + Low odour while engraving
- + As fast as standard laser rubber
- + Very easy to clean
- + 52 Shore-A

Sizes: A4 / 5mm Colour: pearl grey - 850211

Packaging



EC0



Ecological laser rubber from natural rubber

- + Made from 100% natural rubber
- + 55 Shore-A
- + water-based ink

Sizes: A4 / 2.3mm

Colour: green - 850202 red - 850202

Packaging



CLASSICO



Reliable standard laser rubber

- + Solvent-resistant
- + 60 Shore-A

Sizes: A4 / 2.3mm or

A4 / 1.5mm (for Goldring) Colour: grey - 850205

Packaging



0LI0



Oil-resistant laser rubber

- + No expansion with oil-based inks
- + 55 Shore

Sizes: A4 / 2.3mm

Colour: black - 850203

Packaging



MICR0



Laser engravable microporouse foam for Royal Mark pre-inked stamps (p.69)

Sizes: A4 / 6mm Colour: black - P800

Packaging



RAW RUBBER



Raw rubber + 5kg per roll

- + water-based ink + 50 Shore-A

Sizes: Ø 2mm grey

Packaging





TRODAT IDEAL **PHOTOPOLYMER**

Trodat Ideal Photopolymer was optimised specifically for the stamp market. The products are characterised by their high quality and productivity in terms of viscosity, hardness and duration of exposure. The extensive range of accessories allows further efficiency gains in the production of polymer text plates.

IDEAL i50 R



The newly developed photopolymer generation IDEAL i50R Red is part of the perfectly balanced TRODAT IDEAL photopolymer programme. The polymer's colour makes your textplate more legible and stands out because of its excellent impression. Ideal for the production of text plates with more detailed characters.

| 1 kg | 90418 |
|------|-------|
|------|-------|

Packaging



IDEAL i50



Ideal for the production of text plates with more detailed characters.

| 1 kg | 90447 |
|--------|--------|
| 9 kg | 105296 |
| 200 kg | 90616 |

Packaging



IDEAL i40



Ideal for the production of text plates with larger characters.

| 1 kg | 90451 |
|--------|--------|
| 9 kg | 105295 |
| 200 kg | 90644 |

Packaging



IDEAL INSTAPLATE



Simple and clean to use!

- + Simple to use thanks to the stable bag
- + Clean because the photopolymer dosage is eliminated + Simple, positionally correct placement using InstaPlate logo
- + No air bubbles
- + Easy washout
- + Contrast-optimized colour contrast for final inspection
- + Text plates easy to cut out due to high stability
- + Environmentally friendly packaging from recycled cardboard

Compatible with the IDEAL iLW washout concentrate and the iPXC post-exposure additive.

| A4 | 90310 |
|----|-------|
| A5 | 90311 |
| A6 | 90312 |
| Α7 | 90313 |
| A8 | 90314 |

Packaging



A4 - 5 pcs A5 - 10 pcs A6 - 5 pcs A7 - 4 pcs A8 - 5 pcs A9 - 20 pcs.

TRODAT STAMPMAKER



With the Trodat Stampmaker you can quickly create your own stamps in just a few minutes. Kit content: + Trodat Stampmaker

- + Trodat IDEAL Vellum negative Inkjet film (3 x A4) + Timer
- + A8 Mask
- + Test negative
- + Magnetic clamp, max A7
- + Plastic post exposure tray
- + Instaplates A7 (4 pcs), A8 (5 pcs)

| 240V | 101228 |
|------|--------|



Packaging

NEGATIVE PRINT SOLUTION



Negative Film for Inkjet Printers | 56104 Negative film for printing

Negative Film for Laser Printers | 56123

Negative film for printing

 ${\bf Laser\ Toner\ Enhancer\ }\mid\ 9459$

Intensifying color spray for laser printing. (Recommendation: 1 spray can for 50 sheets of laser printer film)

Packaging



IDEAL COVER FILM CF



Trodat IDEAL CF cover film ensures the separation of photopolymer equipment and the liquid photopolymer and provides an easy draw off from exposed liquid polymer.

Available roll sizes (cm):

27cm x 122m 177594 30cm x 122m 177595

Packaging



IDEAL DAMMING TAPE DT



This tape provides a dam to keep the poured photopolymer in place over the cover film and negative.

It helps to ensure even and consistent total text plate height. This disposable foam tape is easy and economical to use.

| 3 mm x 6 mm x 25 m | 98946 |
|------------------------|-------|
| 2.3 mm x 9.5 mm x 30 m | 27886 |

Packaging



IDEAL CLEAR SUBSTRATE BACKING SHEET ("C"-SERIES)



Trodat IDEAL Substrate backing sheets have been developed to provide unprecedented adhesion to the photopolymer.

The substrate also has excellent light diffusion which results in smoother, more consistent backgrounds.

| Available sizes | Available sizes (cm): | | | | | | | |
|-----------------|-----------------------|--|--|--|--|--|--|--|
| 22,5 x 30,5 | 95405 | | | | | | | |
| 30,5 x 36,9 | 95409 | | | | | | | |
| 30,5 x 49 | 95415 | | | | | | | |
| 27 x 35,6 | 95408 | | | | | | | |

36,6 x 53

95420

Packaging



IDEAL ILW - LIQUID WASHOUT CONCENTRATE



Trodat **IDEAL iLW** is a cost-efficient liquid washout concentrate that effectively removes the uncured polymer during the washout stage.

| 1 kg | 99044 |
|------|--------|
| 5 kg | 117649 |

iLW provides excellent results and washout life whether it is used in automatic tank washout systems or hand-washing. This is an important step to producing tack-free plates.

Packaging



IDEAL iPXC - POST-EXPOSURE ADDITIVE



Trodat IDEAL iPXC is a patented post-exposure additive to prevent possible stickiness on the photopolymer plate.

350 g 99069

The product consists of liquid and powder components.

Packaging



TRODAT IDEAL PHOTOPOLYMER SYSTEM & STEPS





TRODAT STAMP INKS

Trodat inks have been specifically developed to cover as wide a range of applications as possible. For optimum durability in hot and cold climates, whether wet or dry, giving you intensive and clear colour impressions time and again.

The standard range of Trodat 7011 stamp inks is indelible in accordance with DIN ISO 14145-2 and therefore ensures perfect imprint quality.

7011 STAMP PAD INK



Waterbased refill stamp ink

7011 - available as: 28 ml / 60 ml

Available in the following colours: black*, blue, red, violet and green



Packaging



7021 STAMP PAD INK



Fast-drying, solvent-based stamp ink for felt cartridges. Can be used on absorbent and non-absorbent materials, excluding PE/PP.

7021 - (quick drying), 25 ml

Available in the following colours: black, blue, red, violet, green and white

Packaging



7750 TEXTILE INK



The stamp ink for easy stamping of textiles. The textile ink is skin-friendly, dermatologically tested and washable up to 90°C. Suitable for all common textiles such as cotton, blended fabric and polyester.

7750 - (quick drying) available as: 28 ml / 11

Available in the following colour:

Packaging



7012 STAMP PAD INK

VIOLET

7021



The 7012 stamp pad ink to ensure the best quality for use with Trotec laser equipment.

7012 - available as: 28ml / 0.5l / 1l / 5l / 20l bottles, 4kg

Available in:

black*/**, red*, blue*, green*, squirrel grey*, zinc yellow, signal yellow*, deep orange*, carmin red*, traffic purple*, light blue, sky blue*, violet*, yellow green*, orange brown, hot pink, UV salmon orange, UV Signal green, UV Invisible





Packaging




TRODAT STAMP INK CONTAINERS AND PERFORMANCE FEATURES

| Inks | Color Code | Colour | 25 ml | 28 ml | 40 ml | 0,5 l | 11 | 20 l | 24 kg | DIN ISO 14145-2 | DIN ISO 11798 | Skin friendly, dermatolgically tested | REACH concurring |
|----------|-------------|------------------|--------|--------|---------|-------|----|------|-------|--------------------|------------------|---|---------------------|
| 7012 MCI | 000.000.000 | BLACK | 231111 | 201111 | 00 1111 | 0,5 t | • | 201 | 24 kg | 14145-2 | 11/76 | tested | e |
| 7012 MCI | 226.000.060 | RED | | • | | • | • | • | | • | | • | • |
| 7012 MCI | 000.094.168 | BLUE | | • | | • | • | • | | • | | | • |
| 7012 MCI | 000.154.133 | GREEN | | • | | • | • | • | | • | | • | • |
| 7012 MCI | 056.055.144 | VIOLET | | • | | • | • | • | | • | | | • |
| 7012 MCI | 134.142.147 | SQUIRREL GREY | | • | | • | | | | • | | | • |
| 7012 MCI | 255.221.000 | ZINC YELLOW | | • | | • | | | | | | | • |
| 7012 MCI | 253.196.000 | SIGNAL YELLOW | | • | | • | | | | • | | | • |
| 7012 MCI | 234.101.013 | DEEP ORANGE | | • | | • | • | | | • | | | • |
| 7012 MCI | 205.000.057 | CARMINE RED | | • | | • | | | | • | | | • |
| 7012 MCI | 197.000.123 | TRAFFIC PURPLE | | • | | • | | | | • | | | • |
| 7012 MCI | 000.177.230 | LIGHT BLUE | | • | | • | | | | | | | • |
| 7012 MCI | 000.140.208 | SKY BLUE | | • | | • | | | | • | | | • |
| 7012 MCI | 134.190.096 | YELLOW GREEN | | • | | • | | | | • | | | • |
| 7012 MCI | 195.100.061 | ORANGE BROWN | | • | | • | • | | | | | | • |
| 7012 MCI | 240.077.152 | HOTPINK | | • | | | • | | | | | | • |
| 7012 MCI | 220.106.080 | UV SALMON ORANGE | | | | | • | | | • | | | • |
| | | | | | | | | | | | | | |
| 7011 | | BLACK | | • | • | | | | | • | | • | • |
| 7011 | | RED | | • | • | | | | | • | | • | • |
| 7011 | | BLUE | | • | • | | | | | • | | | • |
| 7011 | | GREEN | | • | • | | | | | • | | • | • |
| 7011 | | VIOLET | | • | • | | | | | • | | | • |
| | | | | _ | | | | | | | | _ | |
| 7750 | | BLACK | | • | | | • | | | | | • | • |
| 7021 | | DI ACI/ | • | | | | | | | | | | • |
| 7021 | | BLACK RED | • | | | | | | | | | | • |
| 7021 | | BLUE | • | | | | | | | | | | • |
| 7021 | | GREEN | • | | | | | | | | | | • |
| 7021 | | UNLLIN | | | | | | | | | | | |

THE TRODAT ADDED VALUE

The great desire to do things better is the driving force behind our constant search for innovation. Helping our partners to become market leaders is the objective of every division of the TroGroup.

Original Trodat products simply give our customer more.



Combining these products and services generates unique Trodat customer benefits. Enthusiastic customers are the best basis for sales success. This makes the stamp business fun.

trodat

TRODAT STAMP PRODUCTS

CLEARLY SUPERIOR

Modern design, exceptional functionality and the best materials make every single Trodat stamp an original. Trodat products are truly originals: In 1976, the Trodat Printy, the first plastic self-inking stamp, was invented, which is now a bestseller worldwide and is currently available in the original Printy 4.0 version. Constant innovation for the highest quality and early attention to real sustainability have allowed us as a family business to grow into the world's largest stamp manufacturer. Continuity and trust also characterize Trodat's collaboration with its sales partners - in over 170 countries around the world.

trotec

TROTEC LASER

CUTTING-EDGE LASER TECHNOLOGY

Trotec Laser GmbH is a leading global manufacturer of laser-engraving equipment for professional engravers, education, sign makers and the industry. Trotec lasers are used for personalization, graphics, traceability and manufacturing. Trotec offers a full product range including laser machines, exhaust systems, software, laser materials as well as service and support.

uTypia

UTYPIA

THE WEB-SHOP SOLUTIONS

The online business has become of the essential sales channel in the Stamp industry. Comprehensive functionalities and integration possibilities make the Trodat internet solution uTypia to the leading stamp online shop Software for customizable products. uTypia offers solutions for both Rubber Stamp makers, office dealers and resellers. The shop versions uTypia Business 6 and uTypia consumernext match perfectly the different needs of the target groups in the B2B and B2C area. In addition, the uTypia configurator can be integrated in other shop systems and e-procurement systems perfectly. We therefore offer a complete solution for all target groups and deliver the corresponding uTypia shop as a turnkey solution to our customers.









Cherubinistraße 22 • 1220 Wien Tel.: +43 / 1 / 69 90 99 0 - 900 office@but.at • www.but.at

UNSERER UMWELT ZULIEBE!



A pioneering spirit is our DNA.



TroGroup

As part of the group of companies known as TroGroup GmbH, we operate as the leading global stamp business under the Trodat brand name and as the leading global laser business under the brand name Trotec. Trodat is the world's largest stamp manufacturer and Trotec is the world's leading company in laser plotters for engraving, cutting and marking.

In the business year 2022, TroGroup generated a turnover of €312 million and currently employs around 1,970 people at 44 international subsidiaries worldwide. The group is present in more than 150 countries and the export rate amounts to more than 97 %.

TroGroup is based in Wels in Upper Austria, where the most important stamp production site as well as the research and development facilities are located. The Trotec production and sales site is situated in Marchtrenk, approximately 2 km from Wels.

As a private company, the Müller-Just family foundation owns 74.9 % of TroGroup GmbH and 25.1% is owned by the Lower-Austrian ImWind Group.

www.trogroup.com










www.trodat.net

www.troteclaser.com

www.iradionlaser.com


TRODAT CARTON PACKAGING





TRODAT INDIV. PACKAGING











SELF-INKING STAMPS PLASTIC

PRINTY

| SELF-INKING S | STAMPS ME | TAL | | | | | | | |
|---------------|---------------------------|---------------------------|----------|-----------|----------|----------------------------|--------|----------|------|
| PROFESSIONAL | max.Impress. size (mm) | Character size (mm) | 1-colour | 2-colour | | Packaging W x D x H (mm) V | Veight | 0 | Page |
| 5200 | 41 x 24 | | 6/50 | | ✓ | 88 x 51 x 161 | 225,5g | ✓ | 13 |
| 5203 | 49 x 28 | | 6/53 | | ✓ | 88 x 51 x 161 | 240g | ✓ | 13 |
| 5204 | 56 x 26 | | 6/56 | | ✓ | 98 x 57 x 167 | 274g | ✓ | 13 |
| 5205 | 68 x 24 | | 6/55 | | ✓ | 115 x 45 x 158 | 253g | | 14 |
| 5206 | 56 x 33 | | 6/56 | | ✓ | 98 x 57 x 167 | 273g | ✓ | 14 |
| 5274 | 60 x 40 | | 6/58 | | ✓ | 188 x 111 x 72 | 389g | | 14 |
| 5208 | 68 x 47 | | 6/58 | | ✓ | 188 x 111 x 72 | 381g | | 14 |
| 5211 | 85 x 55 | | 6/511 | | ✓ | 135 x 80 x 216 | 440g | | 15 |
| 5212 | 116 x 70 | | 6/512 | | V | 172 x 94 x 244 | 767g | | 15 |
| 52045 | Ø 45 | | 6/15 | | V | 88 x 69 x 183 | 292g | V | 15 |
| 5430 | 41 x 24 | 4 | 6/50 | 6/50/2 | V | 88 x 51 x 161 | 238,5g | V | 16 |
| 5431 | 41 x 24 | 3 | 6/50 | 6/50/2 | V | 88 x 51 x 161 | 238,5g | | 16 |
| 5440 | 49 x 28 | 4 | 6/53 | 6/53/2 | V | 88 x 51 x 161 | 253g | V | 16 |
| 5460 | 56 x 33 | 4 | 6/56 | 6/56/2 | V | 98 x 57 x 167 | 286g | V | 17 |
| 5474 | 60 x 40 | 4 | 6/58 | 6/58/2 | V | 188 x 111 x 72 | 403g | | 17 |
| 5480 | 68 x 47 | 4 | 6/58 | 6/58/2 | V | 188 x 111 x 72 | 395g | | 17 |
| 54110 | 85 x 55 | 4 | 6/511 | 6/511/2 | V | 135 x 80 x 216 | 470g | | 17 |
| 54045 | Ø 45 | 4 | 6/15 | 6/15/2(R) | V | 88 x 69 x 183 | 292g | | 18 |
| 5466/PL | 56 x 33 | 4 | 6/56 | | V | 98 x 57 x 167 | 295g | | 18 |
| 5030 | | 4 | 6/50 | | V | 88 x 51 x 161 | 237,5g | V | 19 |
| 5430/L | | 4 | 6/50 | 6/50/2 | V | 88 x 51 x 161 | 240,3g | ✓ | 19 |
| 5440/L | | 4 | 6/53 | 6/53/2 | V | 88 x 51 x 161 | 255,7g | ✓ | 19 |
| 5460/L | | 4 | 6/56 | 6/56/2 | V | 98 x 57 x 167 | 289,3g | ✓ | 19 |
| 5117 | | 4 | 6/56 | | V | 98 x 57 x 167 | 289g | V | 19 |
| 5546 | | 4 | 6/50 | | V | 88 x 51 x 161 | 238,5g | | 20 |
| 5558 | | 5 | 6/56 | | ✓ | 98 x 57 x 167 | 287g | | 20 |
| 5558/PL | 56 x 33 | 5 | 6/56 | | V | 98 x 57 x 167 | 293g | | 20 |
| 55510 | | 5 | 6/56 | | V | 98 x 57 x 167 | 289g | | 20 |
| 55510/PL | 56 x 33 | 5 | 6/56 | | V | 98 x 57 x 167 | 295g | | 20 |
| 55512 | | 5 | 6/58 | | V | 188 x 111 x 72 | 400g | | 21 |

| PROFESSIONAL TYPOMATIC | Lines | Char. size | Character size Date (mm) | 1-colour | 2-colour | Packaging W x D x H (mm) | Weight | | Page | |
|---------------------------|-------|------------|--------------------------------|----------|----------|-----------------------------|--------|---|------|--|
| 5253 typo | 6 | 3 & 4 | | 6/53 | | 88 x 51 x 161 | 275.5a | ~ | 21 | |

| 4907 | 13 x 6 | | | 6/4907 | | ✓ | 29 x 22 x 50 | 17,1g | | 23 |
|-----------------|---------|-----|----------|---------|------------|----------|--------------------|--------------|----------|----|
| 4908 | 15 x 7 | | | 6/4908 | | V | 33 x 29 x 66 | 27,5g | V | 23 |
| 4910 | 26 x 9 | | | 6/4910 | | ✓ | 61 x 29 x 70 | 38g | V | 23 |
| 4911 | 38 x 14 | | | 6/4911 | | V | 58 x 35 x 73 | 49g | V | 24 |
| 4912 | 47 x 18 | | | 6/4912 | | V | 67 x 40 x 83 | 68g | V | 24 |
| 4912 Office | 47 x 18 | | | _ | 6/4912/2 | V | 67 x 40 x 83 | 68g | V | 41 |
| 4912 ID protec. | 47 x 18 | | | 6/4912 | | | 133 x 38 x 225 | 69g | V | 41 |
| 4913 | 58 x 22 | | | 6/4913 | | V | 79 x 44 x 90 | 90g | V | 24 |
| 4914 | 65 x 26 | | | 6/4914 | | V | 83 x 47 x 98 | 112g | V | 24 |
| 4915 | 70 x 25 | | | 6/4915 | | V | 91 x 44 x 96 | 124g | V | 25 |
| 4918 | 75 x 15 | | | 6/4918 | | V | 92 x 37 x 78 | 90g | | 25 |
| 4925 | 82 x 25 | | | 6/4925 | | ✓ | 110 x 47 x 95 | 171g | | 25 |
| 4926 | 75 x 38 | | | 6/4926 | | V | 102,5 x 59,5 x 120 | 132g | | 26 |
| 4927 | 60 x 40 | | | 6/4927 | | V | 89 x 62 x 121,5 | 154g | | 26 |
| 4928 | 60 x 33 | | | 6/4928 | | V | 88,5 x 55,5 x 110 | 154g | | 26 |
| 4929 | 50 x 30 | | | 6/4929 | | V | 77,5 x 52 x 104,5 | 117g | | 26 |
| 4931 | 70 x 30 | | | 6/4931 | | V | 89 x 50 x 103 | 122g | | 27 |
| 44045 | 45 x 30 | | | 6/44045 | | V | 68 x 50 x 100 | 81g | | 30 |
| 44055 | 55 x 35 | | | 6/44055 | | ~ | 83 x 53 x 117 | 114q | | 30 |
| 4612 | Ø 12 | | | 6/4612 | | V | 25 x 27 x 66 | 16g | | 29 |
| 46019 | Ø 19 | | | 6/46019 | | V | 37 x 76 x 45 | 43g | | 29 |
| 46025 | Ø 25 | | | 6/46025 | | ~ | 43 x 76 x 45 | 52g | | 29 |
| 4630 | Ø 30 | | | 6/4630 | | ~ | 51 x 49 x 104 | 66,7g | | 29 |
| 4638 | Ø 38 | | | 6/4638 | | ~ | 60 x 59 x 115 | 85,5g | | 29 |
| 4642 | Ø 42 | | | 6/4642 | 6/4642/2R | ~ | 64 x 64 x 87 | 107q | | 29 |
| 4645 | Ø 45 | | | 6/4645 | 0,4042,210 | ~ | 70 x 69 x 94 | 120g | | 30 |
| 46050 | Ø 50 | | | 6/46050 | | ~ | 72 x 72 x 105 | 162g | | 30 |
| 4916 | 70 x 10 | | | 6/4916 | | ~ | 98 x 26 x 64 | 58g | | 25 |
| 4917 | 50 x 10 | | | 6/4817 | | ~ | 74 x 31 x 91 | 60g | | 25 |
| 4941 (4760) | 41 x 24 | | | 6/4750 | | ~ | 125 x 65 x 43 | 83q | | 27 |
| 4921 | 12 x 12 | | _ | 6/4921 | | ~ | 29 x 27 x 69 | 24,5g | | 27 |
| 4922 | 20 x 20 | | | 6/4922 | | ~ | 36 x 34 x 80 | 32,5g | | 27 |
| 4933 | 25 x 25 | | | 6/4933 | | ~ | 44,5 x 39,5 x 90 | 60g | | 28 |
| 4923 | 30 x 30 | | | 6/4923 | | ~ | 52 x 47 x 98 | 70g | | 28 |
| 4924 | 40 x 40 | | | 6/4924 | 6/4924/2 | ~ | 64 x 59 x 118 | 127.5g | | 28 |
| 4729 | 50 x 30 | 4 | | 6/4929 | 6/4929/2 | ~ | 77,5 x 52 x 113,5 | 156.3g | | 31 |
| 4727 | 60 x 40 | 4 | | 6/4927 | 6/4927/2 | ~ | 86 x 60 x134 | 176g | | 31 |
| 4726 | 75 x 38 | 3 | <u> </u> | 6/4926 | 6/4926/2 | ~ | 102,5 x 59,5 x 129 | 170g 188g | | 31 |
| 4730 | 56 x 33 | 4 | | 6/4927 | 6/4927/2 | ~ | 86 x 60 x134 | 174g | | 32 |
| 4731 | 70 x 30 | 3 | _ | 6/4931 | 6/4931/2 | _ | 89 x 50 x 112 | 174g 132g | | 32 |
| 43132 | 32 x 32 | 2,8 | | 6/43032 | 6/43032/2 | V | 54 x 54 x 113 | 90g | | 32 |
| 46119 | Ø 19 | 2,8 | | 6/46019 | 0/43032/2 | ~ | 37 x 85 x 40 | 48g | | 33 |
| 46125 | Ø 17 | 3 | - | 6/46025 | | ~ | 43 x 85 x 45 | 59g | | 33 |
| 46130 | Ø 30 | 3 | _ | 6/46030 | 6/46030/2 | ~ | 51,5 x 51,5 x 108 | 79g | | 33 |
| 46140 | Ø 40 | 3 | _ | 6/46040 | 0/40030/2 | ~ | 63 x 62 x 130 | 112g | | 34 |
| 46145 | Ø 45 | 3 | | 6/46045 | 6/46045/2 | ~ | 70 x 67 x 136 | 113g | | 34 |
| 46140U | Ø 40 | 3 | _ | 6/46040 | 0/40043/2 | ~ | 63 x 63 x 130 | 113g | ./ | 34 |
| 4724 | 40 x 40 | 4 | | 6/4924 | 6/4924/2 | ~ | 63 x 59 x 127 | 127g | / | 33 |
| 4750 | 40 x 40 | 4 | | 6/4750 | 6/4750/2 | ~ | 125 x 65 x 43 | 93g | V | 32 |
| 4750/L | 41 x 24 | 3 | <u>-</u> | 6/4750 | 6/4750/2 | ~ | 225 x 133,5 x 42 | 103g | ~ | 32 |
| 4800 | 41 7 24 | 3 | | 6/4911 | 0/4/30/2 | ~ | 70 x 31 x 99 | 70g | ~ | 34 |
| 4820 | | 4 | - | 6/4911 | | ~ | 70 x 31 x 99 | 70g | ~ | 34 |
| 4810 | | 3,8 | <u> </u> | 6/4911 | | ~ | 43 x 27 x 77 | | ~ | 34 |
| 4813 | 24 y 0 | | | | | | | 32g | _ | - |
| 4816 | 26 x 9 | 3,8 | | 6/4817 | | <i>V</i> | 74 x 31 x 91 | 58g | | 34 |
| | | 3,8 | | | 4//017/0 | <i>V</i> | 74 x 31 x 91 | 56g | <i>V</i> | 35 |
| 4816/PL | 51 x 5 | 3,8 | | 6/4817 | 6/4817/2 | <i>V</i> | 74 x 31 x 91 | 56g | | 35 |
| 4817 | | 3,8 | | 6/4817 | | • | 74 x 31 x 91 | 99g | " | 35 |
| | | | | | | | | | | |

1-colour

Casing

colour

2-colour

Packaging

W x D x H (mm) Weight

| PRINTY | max. Impress. size (mm) | Character size (mm) | Casing colour | 1-colour | 2-colour | ₩ W | Packaging x D x H (mm) We | ight | | Page |
|--------|-------------------------------|---------------------------|---------------|----------|----------|----------|------------------------------|------|----------|------|
| 4822 | | 4 | | 6/4911 | | ✓ | 70 x 31 x 99 | 85g | V | 35 |
| 4836 | | 3,8 | | 6/4910 | | ✓ | 43 x 27 x 77 | 32g | ✓ | 35 |
| 4846 | | 4 | | 6/4911 | | V | 70 x 31 x 99 | 73g | V | 35 |
| 48313 | | 3,8 | | 6/4817 | | V | 74 x 31 x 99 | 59g | | 35 |
| 4850 | 25 x 5 | 3,8 | | 6/4850 | 6/4850/2 | ✓ | 43 x 28 x 85 | 38g | ✓ | 35 |
| 4850/L | | | | 6/4850 | 6/4850/2 | ✓ | 43 x 28 x 85 | 36g | ✓ | 35 |

| PRINTY TYPOMATIC | Lines | Char. size | Character size Date (mm) | Casing colour | 1-colour | 2-colour | Packaging W x D x H (mm) | Weight | | Page |
|----------------------|----------|------------|--------------------------------|---------------|----------------|----------|-----------------------------|--------|----------|------|
| 4911 typo | 3 | 3 | | | 6/4911 | | 133 x 35 x 225 | 104g | ~ | 36 |
| 4912 typo | 4 | 3 & 4 | | | 6/4912 | | 133 x 38 x 225 | 147g | ~ | 36 |
| 4913 typo | 5 | 3 & 4 | | | 6/4913 | | 133 x 41 x 225 | 167g | ~ | 36 |
| 4916 typo | 2 | 3 | | | 6/4916 | | 133 x 30 x 225 | 120g | ~ | 37 |
| 4929 typo | 6 | 3 & 4 | | | 6/4929 | | 133 x 53 x 225 | 172g | ~ | 38 |
| 4928 typo | 7 | 3 & 4 | | | 6/4928 | | 133 x 56 x 225 | 198g | ✓ | 38 |
| 4927 typo | 8 | 3 & 4 | | | 6/4927 | | 133 x 68 x 225 | 216g | ✓ | 37 |
| 4926 typo | 8 | 3 & 4 | | | 6/4926 | | 133 x 56 x 225 | 263g | ✓ | 37 |
| 4925 typo | 5 | 3 & 4 | | | 6/4925 | | 133 x 47 x 225 | 195g | ✓ | 37 |
| 4931 typo | 6 | 3 & 4 | | | 6/4931 | | 133 x 50 x 225 | 186g | ~ | 38 |
| 4642 typo | R1, R1,5 | 3 | | | 6/4642 | | 133 x 67 x 225 | 146,5g | ✓ | 39 |
| 4750 typo | 2 | 4 | 4 | | | 6/4750/2 | 225 x 133,5 x 42 | 128g | ✓ | 40 |
| 4727 typo | 6 | 3 & 4 | 4 | | | 6/4927/2 | 133 x 62 x 225 | 225g | ~ | 39 |
| 4729 typo | 4 | 3 & 4 | 4 | | | 6/4929/2 | 133 x 55 x 225 | 215g | V | 39 |
| Clothing Marker typo | 3 | 4 | | | 6/4911 Textile | | 133 x 35 x 225 | 104g | ~ | 41 |

| POCKET STAMPS | | | | | | | | | |
|-------------------------|-------------------------------|------------|------------------|----------|----------|-----------------------------|--------|----------|------|
| POCKET PRINTY | max. Impress. size (mm) | Char. size | Casing colour | 1-colour | | Packaging W x D x H (mm) | Weight | | Page |
| 9511 Pocket Printy | 38 x 14 | | | 6/9511 | ✓ | 30 x 79 x 24 | 26 | | 43 |
| 9512 Pocket Printy | 47 x 18 | | | 6/9512 | ✓ | 33 x 87 x 25 | 32 | | 43 |
| 9511 Pocket Printy typo | 38 x 14 | 3 | | 6/9511 | | 133 x 24 x 225 | 80 | V | 43 |
| 9512 Pocket Printy typo | 47 x 18 | 3 & 4 | | 6/9512 | | 133 x 25 x 225 | 86 | V | 43 |
| MOBILE PRINTY | | | | | | | | | |
| 9413 Mobile Printy | 58 x 22 | | | 6/9413 | ~ | 40 x 95 x 23 | 30g | | 44 |
| 9425 Mobile Printy | 25 x 25 /Ø 25 | | | 6/9425 | ✓ | 40 x 78,5 x 23 | 28g | | 44 |
| 9430 Mobile Printy | 30 x 30 /Ø 30 | | | 6/9430 | ✓ | 43 x 81,5 x 23 | 29g | | 44 |
| 9430 Mobile Printy | 30 x 30 /Ø 30 | | | 6/9430 | | 115 x 180 x 85 | 635g | | 45 |
| Display | | | | | | | | | |
| 9440 Mobile Printy | 40 x 40 /Ø 40 | | | 6/9440 | ~ | 50 x 90 x 25 | 33g | | 45 |
| MICRO PRINTY | | | | | | | | | |
| 9330 Micro Printy | Ø 30 | | | | ~ | 54 x 26 x 59 | 18g | | 46 |
| 9342 Micro Printy | Ø 42 | | | | ~ | 54 x 26 x 59 | 19g | | 46 |
| GOLDRING / VIENNA | | | | | | | | | |
| Goldring Smart Style | 33 x 8,7 | | | | | 77,5 x 52 x 104,5 | 117g | V | 47 |
| 9011 Vienna | 39 x 14 | | | | | 58.5 x 20 x 52.5 | 24g | | 47 |
| 9012 Vienna | 54 x 18 | | | | | 67 x 21 x 67 | 33g | | 47 |

| NK CARTRIDGE | Suitable for | | | | ۶ | | |
|--------------|---|----------------|----------|----------|----------|--------------------|------|
| PROFESSIONAL | PROFESSIONAL | 1-colour | 2-colour | 10 pcs | 2 pcs | ⇒ _{3 pcs} | Page |
| 6/52040 | 52040, 54140 | 6666 | | ✓ | ✓ | | 84 |
| 6/52040/2R | 52040 | | 0 | ✓ | | | 84 |
| 6/15 | 52045, 54045 | | | ✓ | ✓ | | 84 |
| 6/15/2 | 54045 | | ✓ | ✓ | | | 84 |
| 6/15/2R | 54045 | | 0 | ✓ | | | 84 |
| 6/50 | 5200, 5030, 5430, 5430/L, 5431, 5546, 5435 | | | ✓ | ✓ | V | 84 |
| 6/50/2 | 5430, 5430L, 5431, 5435 | | V | ✓ | ✓ | V | 84 |
| 6/53 | 5203, 5440, 5440/L, 5253 | | | ✓ | ✓ | V | 84 |
| 6/53/2 | 5440, 5440/L | | V | ✓ | ✓ | V | 84 |
| 6/55 | 5205 | | | ✓ | ~ | | 84 |
| 6/56 | 5204, 5206, 5460, 5460/L, 5117, 5558, 5558/PL, 55510, 5465, 55510/PL, 5466, 5466PL | ••• | | ~ | ~ | ~ | 84 |
| 6/56/2 | 5460, 5460/L, 5465 | | V | V | V | V | 84 |
| 6/57 | 5207, 5470 | 6 6 6 6 | | ✓ | V | | 84 |
| 6/57/2 | 5470 | | ✓ | ✓ | V | | 84 |
| 6/58 | 5208, 5480, 5274, 5474, 55418, 55512, 5485 | | | ✓ | V | V | 84 |
| 6/58/2 | 5480, 5474, 5485 | | ✓ | ✓ | V | | 84 |
| 6/511 | 5211, 54110, 54510 | | | ✓ | ~ | | 84 |
| 6/511/2 | 54110, 54510 | | ✓ | ✓ | V | | 84 |
| 6/512 | 5212, 54120, 54126 | 6666 | | V | V | | 84 |
| 6/512/2 | 54120, 54126 | | V | V | V | | 84 |

| INK CARTRIDGE PRINTY | Suitable for PRINTY | 1-colour | 2-colour | 10 pcs | ار 2 pcs | 3 pcs | Page |
|----------------------|---|----------------|----------|--------|-------------|----------|------|
| 6/43032 | 43132 | | | V | - - | | 85 |
| 6/43032/2 | 43132 | | V | ~ | | | 85 |
| 6/44045 | 44045 | | | ~ | | | 85 |
| 6/44055 | 44055 | 66666 | | ~ | ~ | | 85 |
| 6/4612 | 4612 | 6666 | | V | | | 85 |
| 6/46019 | 46019, 46119 | 6666 | | ~ | · · | | 85 |
| 6/46025 | 46025, 46125 | 6666 | | ~ | | | 85 |
| 6/46030 | 46030, 46030 typo, 46130 | 6666 | | V | ~ | | 85 |
| 6/46030/2 | 46130 | | | V | | | 85 |
| 6/4630 | 4630 | 6666 | | V | | ~ | 85 |
| 6/4638 | 4638 | 66666 | | ~ | | | 85 |
| 6/46040 | 46040, 46040 typo | 66666 | | V | | | 85 |
| 6/46040/2 | 46140 | | ' | V | · · | | 85 |
| 6/46040/2R | 46140, 46140U | | 0 | V | | | 85 |
| 6/4642 | 4642 | 6666 | | V | V | | 85 |
| 6/4642/2R | 4642 | | 0 | V | <u> </u> | | 85 |
| 6/46045 | 46045, 46145, 46045 typo | | | / | V | | 85 |
| 6/46045/2 | 46145 | | V | V | | | 85 |
| 6/4645 | 4645 | 6666 | | V | | | 85 |
| 6/46050 | 46050 | | | V | | | 85 |
| 6/4750 | 4941 (4760), 4755, 4750, 4750/L | 6666 | | V | V | V | 85 |
| 6/4750/2 | 4750, 4750/L, 4755 | | V | V | V | V | 85 |
| 6/4850 | 4850, 4850/L | 666 | | V | V | | 85 |
| 6/4850/2 | 4850, 4850/L | | V | V | V | | 85 |
| 6/4907 | 4907 | | | | | | 85 |
| 6/4908 | 4908 | 666 | | V | V | | 85 |
| 6/4910 | 4910, 4810, 4836 | 666 | | V | V | ~ | 85 |
| 6/4911 | 4911, 4911 typo, 4800, 4820, 4822, 4846, 4951 | 6 6 6 | | V | V | V | 85 |
| 6/4912 | 4912, 4912 typo, 4952, 496201-04 | 6 6 6 6 | | V | V | ~ | 85 |
| 6/4913 | 4913, 4913 typo, 4953 | 6 6 6 6 | | V | V | ~ | 85 |
| 6/4914 | 4914 | 6666 | | V | V | | 85 |

Mistakes and technical indications subject to change.

| INK CARTRIDGE PRINTY | Suitable for PRINTY | 1-colour | 2-colour | 10 pcs | 2 pcs | 3 pcs | Page |
|-------------------------|--|-------------|----------|----------|----------|----------|------|
| 6/4915 | 4915 | | | ✓ | ✓ | V | 85 |
| 6/4916 | 4916, 4916 typo | | | V | ✓ | | 85 |
| 6/4817 | 4917, 4813, 4817, 4812, 48313 | | | ✓ | ✓ | V | 85 |
| 6/4918 | 4918 | | | ✓ | ✓ | | 85 |
| 6/4921 | 4921, 492150 | | | ✓ | ✓ | | 85 |
| 6/4922 | 4922 | | | ✓ | ✓ | | 85 |
| 6/4923 | 4923, 4930 | | | ✓ | ✓ | | 85 |
| 6/4923/2R | 4923, 4930 | 666 | | ✓ | | | 85 |
| 6/4924 | 4924, 4940, 4724, 4740 | | | ✓ | ✓ | | 85 |
| 6/4924/2 | 4724 | | V | ✓ | | | 85 |
| 6/4925 | 4925, 4925 typo | 666 | | ✓ | V | | 85 |
| 6/4926 | 4926, 4726, 4926 typo | 666 | | ✓ | ✓ | V | 85 |
| 6/4926/2 | 4726 | | V | ✓ | | | 85 |
| 6/4927 | 4927, 4927 typo, 4727, 4727 typo, 4730, 4957, 4757 | | | V | V | V | 85 |
| 6/4927/2 | 4727, 4730, 4757 | | V | ✓ | ✓ | | 85 |
| 6/4928 | 4928, 4928 typo, 4958 | 666 | | ✓ | ✓ | | 85 |
| 6/4929 | 4929, 4729, 4929 typo | 666 | | ✓ | V | | 85 |
| 6/4929/2 | 4729, 4729 typo | | V | V | V | | 85 |
| 6/4931 | 4931, 4731, 4931 typo | 666 | | ✓ | V | | 85 |
| 6/4931/2 | 4731 | | ✓ | ✓ | ✓ | | 85 |
| 6/4933 | 4933 | | | ✓ | V | | 85 |
| 6/9411 | 9411, 9411 typo | 6666 | | ✓ | ~ | V | 85 |
| 6/9511 | 9511, 9511 typo | 666 | | V | | | 85 |
| 6/9512 | 9512, 9512 typo | 6666 | | V | | | 85 |
| 6/9425 | 9425 | 666 | | V | ~ | | 85 |
| 6/9430 | 9430 | 666 | | V | ~ | | 85 |
| 6/9440 | 9440, 9440 typo | 666 | | V | ~ | | 85 |

| HAND STAMPS | | | | | | |
|-------------|------------------------------|-------------------|----------|-----------------------------|--------|------|
| CLASSIC | Text plate max. Size (mm) | Date size (mm) | | Packaging W x D x H (mm) | Weight | Page |
| 2910 P01 | 50 x 30 | 4 | V | 68 x 52 x 107 | 115.5g | 66 |
| 2910 P02 | 51 x 38 | 4 | ~ | 68 x 52 x 107 | 118.8g | 66 |
| 2910 P03 | 54 x 24 | 4 | V | 68 x 52 x 107 | 118g | 66 |
| 2910 P04 | 54 x 30 | 4 | V | 68 x 52 x 107 | 115.3g | 66 |
| 2910 P05 | 54 x 34 | 4 | V | 68 x 52 x 107 | 117g | 66 |
| 2910 P06 | 60 x 35 | 4 | V | 68 x 52 x 107 | 120g | 66 |
| 2910 P07 | 60 x 40 | 4 | V | 68 x 52 x 107 | 124g | 66 |
| 2910 P08 | 64 x 45 | 4 | V | 77 x 52 x 107 | 130.6g | 66 |
| 2910 P09 | 70 x 38 | 4 | ✓ | 77 x 52 x 107 | 127g | 66 |
| 2910 P10 | 70 x 50 | 4 | ✓ | 77 x 52 x 107 | 138g | 66 |
| 2910 P20 | 67 x 44 | 4 | V | 77 x 52 x 107 | 123g | 66 |
| 2910 P30 | ø 51 | 4 | ~ | 77 x 52 x 107 | 120g | 66 |
| 2910 U12 | ø 50 | 4 | V | 59 x 59 x 107 | 130g | 67 |
| 2910 U24 | ø 50 | 4 | V | 59 x 59 x 107 | 134g | 67 |

Mistakes and technical indications subject to change.

| CLASSIC | Date-, Character size (mm) | No. of characters | | | Page | CLASSIC | Date-, Character size (mm) | No. of characters | | Page |
|-------------|----------------------------------|-------------------|----|----------|------|---------|----------------------------------|-------------------|----|------|
| 1000 | 3 | | 10 | ~ | 67 | 15510 | 5 | 10 | 10 | 68 |
| 1004 | 3 | | 10 | | 67 | 15512 | 5 | 12 | 10 | 68 |
| 1010/MA/IS0 | 4 | | 50 | ~ | 67 | 15514 | 5 | 14 | 10 | 68 |
| 1014 | 4 | | 10 | | 67 | 1574 | 7 | 4 | 5 | 68 |
| 1020/MA/IS0 | 5 | | 50 | ~ | 67 | 1576 | 7 | 6 | 5 | 68 |
| 1030 | 9 | | 10 | | 67 | 1578 | 7 | 8 | 2 | 68 |
| 1117/1117/L | 4 | | 10 | ~ | 68 | 1594 | 9 | 4 | 5 | 68 |
| 1534 | 3 | 4 | 10 | | 68 | 1596 | 9 | 6 | 5 | 68 |
| 1536 | 3 | 6 | 10 | | 68 | 1598 | 9 | 8 | 2 | 68 |
| 1538 | 3 | 8 | 10 | | 68 | 15910 | 9 | 10 | 2 | 68 |
| 15310 | 3 | 10 | 10 | | 68 | 15912 | 9 | 12 | 2 | 68 |
| 15312 | 3 | 12 | 10 | | 68 | 15124 | 12 | 4 | 2 | 69 |
| 15320 | 3 | 20 | 10 | | 68 | 15126 | 12 | 6 | 2 | 69 |
| 1544 | 4 | 4 | 10 | | 68 | 15128 | 12 | 8 | 2 | 69 |
| 1546 | 4 | 6 | 10 | ~ | 68 | 15154 | 15 | 4 | 2 | 69 |
| 1548 | 4 | 8 | 10 | | 68 | 15156 | 15 | 6 | 2 | 69 |
| 15410 | 4 | 10 | 10 | | 68 | 15158 | 15 | 8 | 2 | 69 |
| 15412 | 4 | 12 | 10 | | 68 | 15184 | 18 | 4 | 2 | 69 |
| 1554 | 5 | 4 | 10 | | 68 | 15186 | 18 | 6 | 2 | 69 |
| 1556 | 5 | 6 | 10 | V | 68 | 15188 | 18 | 8 | 2 | 69 |
| 1558 | 5 | 8 | 10 | | 68 | 151810 | 18 | 10 | 2 | 69 |

| SPECIAL STAMPS (JustRite SI2 | 2) | | | | |
|------------------------------|------------------------------------|----------------|------------|----------|------|
| SI2 -PL | Suitable for JUSTRITE S SI2 -FB | I SID | Colour | 10 pcs | Page |
| SI2 31-PL | | SID-0 SID-1 | ٥ | ~ | 81 |
| SI2 32-PL | SI2 32-FB | | ٥ | ~ | 81 |
| SI2 33-PL | | | ٥ | ~ | 81 |
| SI2 34-PL | | | ٥ | ~ | 81 |
| SI2 42-PL | | | 0 | ~ | 81 |
| SI2 44-PL | SI2 44-FB | | \Diamond | ~ | 81 |
| SI2 52-PL | | | \Diamond | ~ | 81 |
| SI2 54-PL | SI2 54-FB | | ٥ | ~ | 81 |
| SI2 94-PL | SI2 94-FB | | 0 | V | 81 |

| MODEL | Char. size (mm) | Casing colour | 1-colour | | Packaging W x D x H (mm) Wei | ght | 0 | Page | |
|-----------|--------------------|------------------|----------|---|---------------------------------|------|---|------|--|
| 6512 Typo | 12 | | 9052 | V | 223 x 125 x 60 | 588g | | 83 | |

| PRE-INKED S | TAMPS | | | | | | | | |
|---------------------------------|-----------------|----------|--------|------|---------------------------|----------|----------|----------|------|
| ULTIMARK INCL. TEXT PLATE | Text plate size | | Weight | Page | ULTIMARK INK CARTRIDGE | Black | Blue | Uninked | Page |
| UM-02 | 10 x 35 | V | 41g | 62 | UM-02 | V | V | V | 63 |
| UM-04 | 11 x 37 | ✓ | 65g | 62 | UM-04 | ✓ | ✓ | ✓ | 63 |
| UM-05 | 15 x 46 | ✓ | 76g | 62 | UM-05 | ✓ | V | ✓ | 63 |
| UM-06 | 15 x 59 | ✓ | 59g | 62 | UM-06 | ✓ | ✓ | ✓ | 63 |
| UM-08 | 15 x 71 | ✓ | 92g | 62 | UM-08 | ✓ | ✓ | V | 63 |
| UM-10 | 21 x 59 | V | 92g | 62 | UM-10 | V | V | V | 63 |
| UM-12 | 21 x 72 | ✓ | 98g | 62 | UM-12 | ✓ | ✓ | ✓ | 63 |
| UM-14 | 21 x 97 | ✓ | 132g | 62 | UM-14 | ✓ | ✓ | ✓ | 63 |
| UM-16 | 27 x 46 | ✓ | 83g | 62 | UM-16 | V | ✓ | V | 63 |
| UM-23 | 34 x 59 | ✓ | 104g | 62 | UM-23 | V | V | ~ | 63 |
| UM-24 | 34 x 72 | ✓ | 129g | 62 | UM-24 | ✓ | V | V | 63 |
| UM-26 | 34 x 97 | ✓ | 150g | 62 | UM-26 | ✓ | ✓ | ✓ | 63 |
| UM-28 | 46 x 46 | ✓ | 98g | 62 | UM-28 | V | V | ~ | 63 |
| UM-30 | 46 x 97 | V | 162g | 62 | UM-30 | V | V | V | 63 |
| UM-32 | 59 x 71 | ✓ | 155g | 62 | UM-32 | V | V | V | 63 |
| UM-34 | 72 x 97 | ✓ | 199g | 62 | UM-34 | ✓ | ✓ | V | 63 |
| UM-17R | Ø 17 | V | 28g | 63 | UM-17R | V | V | V | 63 |
| UM-35R | Ø 35 | ✓ | 53g | 63 | UM-35R | V | V | V | 63 |
| UM-45R | Ø 45 | ✓ | 65g | 63 | UM-45R | ✓ | V | V | 63 |
| UM-20SQ | 20 x 20 | ✓ | 35g | 63 | UM-20SQ | V | V | V | 63 |
| UM-25SQ | 25 x 25 | V | 41g | 63 | UM-25SQ | V | V | V | 63 |

| ULTIMARK FLASH INK | Content | Colour |
|-----------------------|---------|--------|
| UM-INK | 0,95 l | Black |
| UM-INK | 0,95 l | Red |
| UM-INK | 0,95 l | Blue |
| UM-INK | 0,95 l | Green |
| UM-INK | 0,95 l | Violet |

| ULTIMARK REFILL INK | Content | Content | Colour |
|------------------------|---------|---------|--------|
| UM RE-INK | 15 ml | 60 ml | Black |
| UM RE-INK | 15 ml | 60 ml | Red |
| UM RE-INK | 15 ml | 60 ml | Blue |
| UM RE-INK | 15 ml | 60 ml | Green |
| UM RE-INK | 15 ml | 60 ml | Violet |

| ROYAL MARK LASER INK | Content | Colour | |
|-------------------------|---------|-----------------|--|
| 7090 | 1 l | Black | |
| 7090 | 1 l | Red | |
| 7090 | 1 l | Blue | |
| 7090 | 1 l | Green Violet | |
| 7090 | 1 l | | |
| 7091 | 10 ml | Black | |
| 7091 | 10 ml | Red | |
| 7091 | 10 ml | Blue | |
| 7091 | 10 ml | Green | |
| 7091 | 10 ml | Violet | |

| ROYAL MARK | Text plate size | | Weight | Page |
|------------|-----------------|--------|--------|------|
| RM-02 | 13 x 51 | 25 pcs | 2,7kg | 65 |
| RM-04 | 16 x 42 | 25 pcs | 8,3kg | 65 |
| RM-06 | 16 x 64 | 20 pcs | 8,2kg | 65 |
| RM-08 | 16 x 89 | 15 pcs | 6,8kg | 65 |
| RM-10 | 23 x 57 | 20 pcs | 8,2kg | 65 |
| RM-12 | 23 x 76 | 15 pcs | 6,8kg | 65 |
| RM-14 | 23 x 102 | 20 pcs | 7,3g | 65 |
| RM-16 | 32 x 51 | 20 pcs | 8,2kg | 65 |
| RM-18 | 32 x 80 | 15 pcs | 8,2kg | 65 |
| RM-20 | 32 x 102 | 20 pcs | 7,3kg | 65 |
| RM-21 | 37 x 37 | 20 pcs | 9,6kg | 65 |
| RM-22 | 42 x 51 | 20 pcs | 9,6kg | 65 |
| RM-23 | 38 x 63 | 20 pcs | 10,9kg | 65 |
| RM-24 | 42 x 76 | 15 pcs | 8,2kg | 65 |
| RM-26 | 42 x 102 | 10 pcs | 6,8kg | 65 |
| RM-28 | 51 x 51 | 15 pcs | 8,2kg | 65 |
| RM-30 | 51 x 102 | 10 pcs | 8,2kg | 65 |
| RM-32 | 64 x 83 | 10 pcs | 8,2kg | 65 |
| RM-34 | 76 x 102 | 10 pcs | 9,5kg | 65 |
| RM-35 | Ø 32 | 25 pcs | 8,2kg | 65 |
| RM-45 | Ø 42 | 20 pcs | 8,2kg | 65 |
| RM-50 | Ø 13 | 25 pcs | 3,6kg | 65 |
| RM-75 | Ø 20 | 25 pcs | 6,2kg | 65 |
| RM-0V3 | 32 x 48 | 20 pcs | 8,16kg | 65 |

LEGAL INFORMATION

The text plate sizes indicted are upper limits and do not necessarily correspond to the actual size of the impression. This may be marginally different depending on the production method used for the textplate. Colour designs depend on a wide range of influencing factors, such as paper, humidity, monitor settings, etc. It is possible that individual colour systems may vary.

All data provided are Trodat definitions. We recommend you carry out print proofs and sample stamps. The impressions and logos shown are entirely fictitious. Any similarities to existing companies and real people are purely coincidental.

We reserve the right to mistakes, changes, typographical and printing errors.

The applicable terms & conditions can be viewed at www.trodat.net